



لیست قیمت

آبان ماه

D A L I A S M A R T



Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series
				
<u>DS-2CD1021G0E-I</u>	<u>DS-2CD1023G0E-I</u>	<u>DS-2CD1023G0-I</u>	<u>DS-2CD1023G0-IUF</u>	<u>DS-2CD1027G0-L</u>
1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (2.0, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
NO	NO	NO	Built-in	NO
Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR (Color Vu)
DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
NO	NO	NO	Up to 256Gb	NO
Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Aluminum (IP67)
CALL	3.045.000	CALL	4.401.000	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

4MP Economy Series	4MP Economy Series	4MP Economy Series	4MP Economy Series	4MP Economy Series
				
<u>DS-2CD1043G0-I</u>	<u>DS-2CD1043G0-IUF</u>	<u>DS-2CD1043G2-LIU</u>	<u>DS-2CD1047G0-L</u>	<u>DS-2CD1047G2-L</u>
1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS
(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
NO	Built-in	Built-in	NO	NO
Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR (Color Vu)	Up to 30m IR (Color Vu)
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
NO	NO	Up to 512Gb	NO	Up to 256Gb
Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal (IP67)	Aluminum (IP67)
4.472.000	CALL	4.881.000	CALL	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

5MP Economy Series	5MP Economy Series	6MP Economy Series	6MP Economy Series	
				
<u>DS-2CD1053G0-I</u>	<u>DS-2CD1057G0-L</u>	<u>DS-2CD1063G2-LIUF</u>	<u>DS-2CD1067G2-L</u>	
1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	
(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps	(3200 * 1800) 20 fps	(3000 * 1800) 20 fps	
0.01 Lux @ (F1.2, AGC ON)	0.001 Lux @ (F1.0 AGC ON)	0.005 Lux @ (F1.6 AGC ON)	0.001 Lux @ (F1.0 AGC ON)	
2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
NO	NO	Built-in	NO	
Up to 30m IR	Up to 30m IR (Color Vu)	Up to 30m IR	Up to 30m IR (Color Vu)	
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
NO	NO	Up to 256Gb	Up to 512 Gb	
Metal & plastic (IP67)	Aluminum (IP67)	Metal & plastic (IP67)	Aluminum (IP67, IK10)	
CALL	CALL	5.458.000	6.623.000	
CALL	CALL	CALL	CALL	
CALL	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features



Sd-Card

Material & Protection

Price Pars

Price Hika







Price Fara






2MP Economy Series	2MP Economy Series			
				
<u>DS-2CD1123G0E-I</u>	<u>DS-2CD1123G2-LIU</u>			
1/2.7" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS			
(1920 * 1080) 25 fps	(1920 * 1080) 20 fps			
0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)			
2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens			
NO	Built-in			
Up to 30m IR	Up to 30m IR			
DWDR, BLC, 3D-DNR, H.265+	DWDR , BLC, 3D-DNR, H.265+			
NO	Up to 512Gb			
Metal & plastic (IP67)	Metal & plastic (IP67, IK8)			
3.050.000	3.331.000			
CALL	CALL			
CALL	CALL			

Description	4MP Economy Series	4MP Economy Series	4MP Economy Series	5MP Economy Series	
					
Model	DS-2CD1143G0-I	DS-2CD1143G0-IUF	DS-2CD1143G2-LIU	DS-2CD1153G0-I	
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(2560 * 1440) 20 fps	(2688 * 1520) 20 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	Built-in	Built-in	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	NO	Up to 256Gb	Up to 512b	NO	
Material & Protection	Aluminum (IP67)	Aluminum (IP67, IK10)	Metal & plastic (IP67, IK8)	Aluminum (IP67, IK10)	
Price Pars	4.837.000	CALL	5.163.000	6.445.000	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series
					
Model	DS-2CD1321G0E-I	DS-2CD1323G0E-I	DS-2CD1323G0-IUF	DS-2CD1327G0-L	DS-2CD1327G2-L
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 20 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
Microphone Support	NO	NO	Built-in	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR (Color Vu)	Up to 30m IR (Color Vu)
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	NO	NO	Up to 256Gb	NO	NO
Material & Protection	(IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	CALL	CALL	CALL	6.460.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP Economy Series	4MP Economy Series	5MP Economy Series	5MP Economy Series	
					
Model	<u>DS-2CD1347G0-L</u>	<u>DS-2CD1347G2-L</u>	<u>DS-2CD1353G0-L</u>	<u>DS-2CD1357G0-L</u>	
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	NO	NO	NO	
IR Range	Up to 30m IR (Color Vu)	Up to 30m IR (Color Vu)	Up to 30m IR	Up to 30m IR (Color Vu)	
Features	DWDR, BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	NO	NO	NO	NO	
Material & Protection	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	Metal & plastic (IP67)	
Price Pars	CALL	CALL	CALL	7.315.000	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP Economy Series	2MP Economy Series	4MP Economy Series	5MP Economy Series	5MP Economy Series
					
Model	<u>DS-2CD1623G0-I</u>	<u>DS-2CD1623G0-IZ</u>	<u>DS-2CD1643G0-IZ</u>	<u>DS-2CD1653G0-I</u>	<u>DS-2CD1653G0-IZ</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	vari-focal lens - 2.8 to 12 mm	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	vari-focal lens - 2.8 to 12 mm	2.8 to 12 mm Motorized
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 50m IR	Up to 30m IR	Up to 50m IR
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	Metal (IP67)	Metal (IP67)	Metal (IP67)	Metal & plastic (IP67)	(IP67)
Price Pars	CALL	CALL	8.701.000	CALL	CALL
Price Hika	CALL	CALL	11.105.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP Economy Series	4MP Economy Series	5MP Economy Series	5MP Economy Series	
					
Model	DS-2CD1723G0-IZ	DS-2CD1743G0-IZ	DS-2CD1753G0-I	DS-2CD1753G0-IZ	
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	vari-focal lens - 2.8 to 12 mm	2.8 to 12 mm Motorized	
Microphone Support	NO	NO	NO	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	
Features	DWDR, BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	
Material & Protection	(IP67 , IK10)	Metal (IP67)	(IP67 , IK10)	(IP67)	
Price Pars	CALL	8.520.000	CALL	CALL	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP ProSeries AcuSense	2MP ProSeries AcuSense	2MP Pro Series	2MP Pro Series	2MP ProSeries AcuSense
					
Model	<u>DS-2CD2021G1-I</u>	<u>DS-2CD2023G2-I</u>	<u>DS-2CD2025FWD-I</u>	<u>DS-2CD2025FHWD-I</u>	<u>DS-2CD2027G2-L</u>
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR (DarkFighter)	Up to 30m IR (DarkFighter)	Up to 40m IR (Color Vu)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal & plastic (IP67)	Metal (IP67)	Metal (IP67)	Metal (IP67)	(IP67)
Price Pars	CALL	7.091.000	CALL	8.275.000	8.226.000
Price Hika	CALL	7.739.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP Pro Series	4MP ProSeries AcuSense	4MP ProSeries AcuSense
					
Model	<u>DS-2CD2043G2-I</u>	<u>DS-2CD2043G2-IU</u>	<u>DS-2CD2045FWD-I</u>	<u>DS-2CD2046G2-I</u>	<u>DS-2CD2046G2-IU</u>
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.014 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	Built-in	NO	NO	Built-in
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR (DarkFighter)	Up to 40m IR (DarkFighter)	Up to 40m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 512Gb
Material & Protection	(IP67)	(IP67)	Metal (IP67)	(IP67)	(IP67)
Price Pars	7.719.000	8.356.000	CALL	8.379.000	CALL
Price Hika	CALL	11.222.000	CALL	CALL	12.042.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP ProSeries AcuSense	4MP ProSeries AcuSense			
					
Model	DS-2CD2047G2-L	DS-2CD2047G2-LU			
Image Sensor	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS			
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps			
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens			
Microphone Support	NO	Built-in			
IR Range	Up to 40m IR (Color Vu)	Up to 40m IR (Color Vu)			
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Sd-Card	Up to 256Gb	Up to 512Gb			
Material & Protection	(IP67)	(IP67)			
Price Pars	CALL	CALL			
Price Hika	CALL	CALL			
Price Fara	CALL	CALL			

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

6MP ProSeries AcuSense	6MP ProSeries AcuSense	6MP ProSeries AcuSense		
				
<u>DS-2CD2063G2-I</u>	<u>DS-2CD2066G2-I</u>	<u>DS-2CD2066G2-IU</u>		
1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS		
(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps		
0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)		
2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
NO	NO	Built-in		
Up to 40m IR	Up to 40m IR (Darkfighter)	Up to 40m IR (Darkfighter)		
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+		
Up to 256Gb	Up to 512Gb	Up to 512Gb		
Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)		
8.081.000	CALL	CALL		
CALL	CALL	15.369.000		
CALL	CALL	CALL		

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

8MP Pro Series	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense
				
<u>DS-2CD2083G0-I</u>	<u>DS-2CD2083G2-I</u>	<u>DS-2CD2085G1-I</u>	<u>DS-2CD2086G2-I</u>	<u>DS-2CD2086G2-IU</u>
1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps	(3840 * 2160) 25 fps
0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
NO	NO	NO	NO	Built-in
Up to 30m IR	Up to 40m IR	Up to 30m IR (Darkfighter)	Up to 40m IR (Darkfighter)	Up to 40m IR (Darkfighter)
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb	Up to 512Gb
Metal (IP67)	Aluminum & plastic (IP67)	Metal & plastic (IP67, IK10)	Metal (IP67)	Metal (IP67)
CALL	8.336.000	10.860.000	11.699.000	CALL
CALL	CALL	CALL	CALL	16.765.000
CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features


Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

8MP ProSeries AcuSense	8MP ProSeries AcuSense			
				
<u>DS-2CD2087G2-L</u>	<u>DS-2CD2087G2-LU</u>			
1/1.2" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS			
(3840 * 2160) 25 fps	(3840 * 2160) 20 fps			
0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			
2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens			
NO	Built-in			
Up to 40m IR (Color Vu)	Up to 40m IR (Color Vu)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 256Gb	Up to 256Gb			
Metal (IP67)	Metal (IP67)			
CALL	CALL			
20.522.000	21.654.000			
CALL	CALL			

Description	2MP Pro Series	2MP ProSeries AcuSense	2MP ProSeries AcuSense	2MP Pro Series	2MP Pro Series
					
Model	DS-2CD2121G0-I	DS-2CD2123G2-I	DS-2CD2123G2-IU	DS-2CD2125FHWD-IS	DS-2CD2H25FWD-IZS
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 to 12 mm
Microphone Support	NO	NO	Built-in	support	support
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR (DarkFighter)	Up to 30m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb
Material & Protection	(IP67)	Aluminum & plastic (IP67)	Aluminum & plastic(IP67,IK10)	Metal (IP67, IK10)	Metal (IP66, IK10)
Price Pars	CALL	CALL	6.623.000	CALL	16.401.000
Price Hika	5.972.000	7.739.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP Pro Series	4MP ProSeries AcuSense
					
Model	<u>DS-2CD2126G2-ISU</u>	<u>DS-2CD2143G2-I</u>	<u>DS-2CD2143G2-IU</u>	<u>DS-2CD2145FWD-IS</u>	<u>DS-2CD2146G2-I</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2592 * 1944) 20 fps
Min. Illumination	0.002 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	Built-in	NO	Built-in	Support	NO
IR Range	Up to 30m IR (DarkFighter)	Up to 30m IR	Up to 30m IR	Up to 30m IR (Darkfighter)	Up to 30m IR (Darkfighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Aluminum & plastic(IP67,IK10)	(IP67 , IK10)	Aluminum & plastic(IP67,IK10)	Metal (IP67 , IK10)	(IP67 , IK10)
Price Pars	8.599.000	CALL	7.025.000	CALL	CALL
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

4MP ProSeries AcuSense	4MP ProSeries AcuSense			
				
<u>DS-2CD2146G2-ISU</u>	<u>DS-2CD2147G2-LSU</u>			
1/2.7" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS			
(2592 * 1944) 20 fps	(2688 * 1520) 25 fps			
0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			
2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens			
Built-in	Built-in			
Up to 30m IR (DarkFighter)	Up to 30m IR (Color Vu)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 256Gb	Up to 512Gb			
Metal (IP67 , IK10)	(IP67 , IK10)			
CALL	CALL			
12.042.000	CALL			
CALL	CALL			

Description	6MP ProSeries AcuSense	6MP ProSeries AcuSense	6MP ProSeries AcuSense	6MP ProSeries AcuSense	
					
Model	<u>DS-2CD2163G2-I</u>	<u>DS-2CD2163G2-IU</u>	<u>DS-2CD2166G2-I</u>	<u>DS-2CD2166G2-ISU</u>	
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	
Resolution	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	
Microphone Support	NO	Built-in	NO	Built-in	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR (DarkFighter)	Up to 30m IR (DarkFighter)	
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 512Gb	Up to 256Gb	Up to 512Gb	Up to 512Gb	
Material & Protection	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	
Price Pars	CALL	7.512.000	CALL	CALL	
Price Hika	CALL	11.525.000	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP Pro Series	8MP ProSeries AcuSense
					
Model	<u>DS-2CD2183G0-IS</u>	<u>DS-2CD2183G2-I</u>	<u>DS-2CD2183G2-IU</u>	<u>DS-2CD2185FWD-I</u>	<u>DS-2CD2186G2-I</u>
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	Support	NO	Built-in	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR (Darkfighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal & plastic (IP67 , IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	(IP67 , IK10)	(IP67 , IK10)
Price Pars	CALL	CALL	7.912.000	11.205.000	CALL
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

8MP | ProSeries AcuSense



DS-2CD2186G2-ISU

1/1.8" Progressive Scan CMOS

(3840 * 2160) 25 fps

0.003 Lux @ (F1.6, AGC ON)

2.8 mm / 4mm fixed lens

Built-in

Up to 30m IR (**Darkfighter**)

WDR, BLC, 3D-DNR, H.265+

Up to 256Gb

(IP67 , IK10)

CALL

CALL

CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

2MP ProSeries AcuSense	4MP Pro Series			
				
<u>DS-2CD2327G2-L</u>	DS-2CD2345FWD-I			
1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS			
(1920 * 1080) 25 fps	(2688 * 1520) 25 fps			
0.0005 Lux @ (F1.0, AGC ON)	0.008 Lux @ (F1.2, AGC ON)			
2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens			
NO	NO			
Up to 30m IR (Color Vu)	Up to 30m IR (Darkfighter)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 512Gb	Up to 128Gb			
Aluminum (IP67)	Metal (IP67)			
8.553.000	CALL			
CALL	CALL			
CALL	CALL			

Description	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP ProSeries AcuSense	8MP ProSeries AcuSense
					
Model	<u>DS-2CD2343G2-IU</u>	<u>DS-2CD2346G2-IU</u>	<u>DS-2CD2347G2-L</u>	<u>DS-2CD2347G2-LU</u>	<u>DS-2CD2387G2-L</u>
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 mm / 4mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	Built-in	Built-in	NO	Built-in	NO
IR Range	Up to 30m IR	Up to 30m IR (Darkfighter)	Up to 30m IR (Color Vu)	Up to 30m IR (Color Vu)	Up to 30m IR (Color Vu)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 256Gb	Up to 256Gb	Up to 512Gb
Material & Protection	Aluminum (IP67)	(IP67)	Aluminum (IP67)	Aluminum (IP67)	Metal (IP67)
Price Pars	CALL	9.313.000	9.145.000	CALL	CALL
Price Hika	8.910.000	CALL	CALL	CALL	22.454.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features



Sd-Card

Material & Protection


Price Pars

Price Hika

Price Fara

4MP Pro Series	5MP Pro Series			
				
<u>DS-2CD1T43G2-LIU</u>	<u>DS-2CD1T57G0-L</u>			
1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS			
(2560 * 1440) 20 fps	(2560 * 1920) 20 fps			
0.005 Lux @ (F1.6, AGC ON)	0.001 Lux @ (F1.0, AGC ON)			
4 mm / 6 mm fixed lens	4 mm / 6 mm fixed lens			
Built-in	NO			
Up to 50m IR	Up to 50m IR (Color Vu)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 512Gb	Up to 256Gb			
Metal & plastic (IP67)	Metal & plastic (IP67)			
5.189.000	CALL			
CALL	CALL			
CALL	CALL			

Description	4MP Pro Series	4MP Pro Series	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP Pro Series
					
Model	DS-2CD2T43G0-I5	DS-2CD2T43G0-I8	DS-2CD2T43G2-2I	DS-2CD2T43G2-4I	DS-2CD2T45FWD-I5
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 50m IR	Up to 80m IR	Up to 60m IR	Up to 80m IR	Up to 50m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb
Material & Protection	Metal (IP67)	Metal (IP67)	Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)
Price Pars	CALL	CALL	7.847.000	8.485.000	CALL
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP Pro Series	4MP ProSeries AcuSense	4MP ProSeries AcuSense	4MP ProSeries AcuSense	
					
Model	DS-2CD2T45FWD-I8	DS-2CD2T46G2-4I	DS-2CD2T46G2-ISU/SL	DS-2CD2T47G2-L	
Image Sensor	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	
Microphone Support	NO	NO	Built-in	NO	
IR Range	Up to 80m IR (DarkFighter)	Up to 80m IR (DarkFighter)	Up to 60m IR	Up to 60m IR (Color Vu)	
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 512Gb	Up to 256Gb	
Material & Protection	Metal (IP67)	Metal (IP67)	Aluminum (IP67)	Metal (IP67)	
Price Pars	15.045.000	CALL	CALL	CALL	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	6MP Pro Series	6MP ProSeries AcuSense	6MP ProSeries AcuSense	6MP ProSeries AcuSense	6MP ProSeries AcuSense
					
Model	DS-2CD2T63G0-I8	DS-2CD2T63G2-2I	DS-2CD2T63G2-4I	DS-2CD2T66G2-2I	DS-2CD2T66G2-4I
Image Sensor	1/2.9" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS
Resolution	(3072 * 2048) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 80m IR	Up to 60m IR	Up to 80m IR	Up to 60m IR (DarkFighter)	Up to 80m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb	Up to 256Gb	Up to 512Gb	Up to 256Gb
Material & Protection	Metal (IP67)	Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)
Price Pars	CALL	CALL	8.600.000	CALL	10.920.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

6MP | Pro Series



DS-2CD2T67G2H-LI

1/1.8" Progressive Scan CMOS

(3200 * 1800) 20 fps

0.0005 Lux @ (F1.0, AGC ON)

2.8 mm / 4mm fixed lens

NO

Up to 60 m IR

WDR, BLC, 3D-DNR, H.265+

Up to 512 Gb

Metal (IP67)

14.151.000

CALL

CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense
				
DS-2CD2T83G2-2I	DS-2CD2T83G2-4I	DS-2CD2T85G1-I5	DS-2CD2T85G1-I8	DS-2CD2T86G2-4I
1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
NO	NO	NO	NO	NO
Up to 60m IR	Up to 80m IR	Up to 50m IR (Darkfighter)	Up to 80m IR (Darkfighter)	Up to 80m IR (Darkfighter)
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Aluminum & plastic (IP67)	Aluminum & plastic (IP67)	Metal (IP67)	Metal (IP67)	Metal (IP67)
CALL	10.096.000	11.005.000	CALL	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

8MP | ProSeries AcuSense

8MP | ProSeries AcuSense



DS-2CD2T87G2-L

DS-2CD2T87G2-LK

1/1.2" Progressive Scan CMOS

1/1.2" Progressive Scan CMOS

(3840 * 2160) 25 fps

(3840 * 2160) 20 fps

0.0005 Lux @ (F1.0, AGC ON)

0.0005 Lux @ (F1.0, AGC ON)

2.8 / 4 / 6mm fixed lens

2.8 / 4 / 6mm fixed lens

NO

NO

Up to 60m IR **(Color Vu)**

Up to 60m IR **(Color Vu)**

WDR, BLC, 3D-DNR, H.265+

WDR, BLC, 3D-DNR, H.265+

Up to 512b

Up to 256Gb

Metal (IP67)

Metal (IP67)

CALL





CALL



CALL



CALL

CALL

CALL

Description	2MP Pro Series Wi Fi	2MP Pro Series Wi Fi	2MP Pro Series Wi Fi	4MP Pro Series Wi Fi	
					
Model	DS-2CD2420F-I(W)	DS-2CD2421G0-IW	DS-2CD2423G0-IW	DS-2CD2443G0-IW	
Image Sensor	–	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	–	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	–	0.028 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	
Lens Type	–	2.8 mm / 4mm Fixed lens	2.8 mm Fixed lens	2.8 mm / 4mm Fixed lens	
Microphone Support	Built-in	Built-in	Built-in	Built-in	
IR Range	Up to 10m IR	Up to 10m IR	Up to 10m IR	Up to 10m IR	
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	WDR , H.265+	WDR , 3D-DNR, H.265+	
Sd-Card	–	Up to 256Gb	Up to 128Gb	Up to 128Gb	
Material & Protection	plastic (IP66 , IK10)	plastic (IP66 , IK10)	plastic (IP66 , IK10)	plastic (IP66 , IK10)	
Price Pars	CALL	CALL	CALL	7.298.000	
Price Hika	CALL	CALL	10.061.000	11.173.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP Pro Series	2MP Pro Series	4MP Pro Series		
					
Model	DS-2CD2523G0-IS	DS-2CD2525FWD-I	DS-2CD2542FWD-IS		
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2688 * 1520) 20 fps		
Min. Illumination	0.028 Lux @ (F2.0, AGC ON)	0.009 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	Support	NO	Support		
IR Range	Up to 10m IR	Up to 10m IR (Darkfighter)	Up to 10m IR		
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 128Gb		
Material & Protection	(IP66)	(IP66)	(IP66)		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

Description	2MP Pro Series	4MP ProSeries AcuSense	4MP Pro Series	4MP ProSeries AcuSense	
					
Model	DS-2CD2625FWD-IZS	DS-2CD2643G2-IZS	DS-2CD2645FWD-IZS	DS-2CD2646G2-IZS	
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	
Lens Type	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	
Microphone Support	Support	Support	Support	Support	
IR Range	Up to 50m IR (Darkfighter)	Up to 60m IR	Up to 50m IR (Darkfighter)	Up to 60m IR (Darkfighter)	
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	
Material & Protection	metal (IP66 , IK10)	Aluminum (IP67 , IK10)	metal (IP66 , IK10)	ADC12 (IP67 , IK10)	
Price Pars	CALL	CALL	CALL	CALL	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card



Material & Protection

Price Pars







Price Hika

Price Fara

6MP ProSeries AcuSense	6MP ProSeries AcuSense			
				
<u>DS-2CD2663G2-IZS</u>	<u>DS-2CD2666G2-IZS</u>			
1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS			
(3200 * 1800) 20 fps	(3200 * 1800) 25 fps			
0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)			
2.8 to 12 mm Motorized	2.8 to 12 mm Motorized			
Support	Support			
Up to 60m IR	Up to 60m IR (Darkfighter)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 256Gb	Up to 256Gb			
Aluminum (IP67 , IK10)	metal (IP66 , IK10)			
CALL	CALL			
CALL	CALL			
CALL	CALL			

Description	8MP Pro Series	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP Pro Series	8MP ProSeries AcuSense
					
Model	DS-2CD2683G0-IZS	DS-2CD2683G2-IZS	DS-2CD2685G1-IZS	DS-2CD2685FWD-IZS	DS-2CD2686G2-IZS
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 15 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 50m IR	Up to 60m IR	Up to 50m IR (Darkfighter)	Up to 50m IR (Darkfighter)	Up to 60m IR (Darkfighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 512Gb
Material & Protection	metal (IP66 , IK10)	Aluminum (IP67 , IK10)	Metal (IP67)	Metal (IP66 , IK10)	Metal (IP66 , IK10)
Price Pars	CALL	14.550.000	CALL	CALL	19.225.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP Pro Series	4MP ProSeries AcuSense	4MP Pro Series	4MP ProSeries AcuSense	6MP ProSeries AcuSense
					
Model	DS-2CD2721G0-IZS	DS-2CD2743G2-IZS	DS-2CD2745FWD-IZS	DS-2CD2746G2-IZS	DS-2CD2763G1-IZS
Image Sensor	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3072 * 2048) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
Lens Type	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR (Darkfighter)	Up to 40m IR (Darkfighter)	Up to 30m IR
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 128Gb
Material & Protection	Metal (IP67 , IK10)	Metal & plastic (IP67 , IK10)	metal (IP66 , IK10)	(IP66 , IK10)	Metal (IP67 , IK10)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	10.100.000	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	6MP ProSeries AcuSense	8MP Pro Series	8MP ProSeries AcuSense	8MP ProSeries AcuSense	8MP ProSeries AcuSense
					
Model	DS-2CD2766G2-IZS	DS-2CD2783G0-IZS	DS-2CD2783G2-IZS	DS-2CD2785G1-IZS	DS-2CD2786G2-IZS
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3200 * 1800) 25 fps	(3840 * 2160) 12.5 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps
Min. Illumination	0.003 Lux @ (F1.4, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized	2.8 to 12 mm Motorized
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 40m IR	Up to 30m IR	Up to 40m IR	Up to 30m IR (Darkfighter)	Up to 40m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal (IP66 , IK10)	Metal (IP66 , IK10)	Metal & plastic (IP67 , IK10)	Metal & plastic (IP67 , IK10)	Metal (IP66 , IK10)
Price Pars	CALL	CALL	14.476.000	CALL	21.589.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	5MP Pro Series Fisheye	5MP Pro Series Fisheye	3MP Pro Series Fisheye	1MP Pro Series Pinhole	
					
Model	DS-2CD2955FWD-I	DS-2CD2955FWD-IS	DS-2CD6332FWD-IS	DS-2CD2D14WD	
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/4" Progressive Scan CMOS	
Resolution	(2560 * 1920) 25 fps	(2560 * 1920) 25 fps	(2048 * 1536) 25 fps	(1280 * 720) 30 fps	
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.1 Lux @ (F1.2, AGC ON)	0.028 Lux @ (F2.0, AGC ON)	
Lens Type	1.05 mm	1.05 mm	1.19 mm	3.2 mm	
Microphone Support	NO	Support	Support	NO	
IR Range	Up to 8m IR	Up to 10m IR	Up to 10m IR	-	
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 64Gb	NO	
Material & Protection	-	-	(IP66 , IK10)	-	
Price Pars	CALL	CALL	CALL	CALL	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

4MP Ultra Series	8MP Ultra Series	8MP Ultra Series AcuSense		
				
<u>DS-2CD3T43G0-2I</u>	<u>DS-2CD3T85G0-4IS</u>	<u>DS-2CD3T86G2-4IS</u>		
1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS		
(2688 * 1520) 25 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps		
0.01 Lux @ (F1.2, AGC ON)	0.016 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)		
2.8 / 4 / 6 / 8mm Fixed lens	2.8 / 4 / 6mm Fixed lens	2.8 / 4 / 6mm Fixed lens		
NO	NO	NO		
Up to 60m IR	Up to 90m IR (DarkFighter)	Up to 90m IR (DarkFighter)		
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+		
Up to 128Gb	Up to 128Gb	Up to 512Gb		
Metal (IP67)	Metal & plastic (IP67)	Metal (IP67)		
CALL	CALL	CALL		
17.399.000	CALL	20.073.000		
CALL	CALL	CALL		

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Microphone Support

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

2MP UltraSeries AcuSense	2MP Ultra Series	4MP Ultra Series		
				
DS-2CD3623G2-IZSUHK	DS-2CD3625G0-IZSUHK	DS-2CD3645G0-IZSUHK		
–	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS		
–	(1920 * 1080) 50 fps	(2688 * 1520) 25 fps		
–	0.0068 Lux @ (F1.4, AGC ON)	0.011 Lux @ (F1.4, AGC ON)		
–	2.7 to 13.5 mm Motorized	2.7 to 13.5 mm Motorized		
Support	Support	Support		
–	Up to 60m IR (DarkFighter)	Up to 60m IR (DarkFighter)		
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+		
–	Up to 128Gb	Up to 128Gb		
–	Metal (IP67 & IK10)	Metal (IP67 & IK10)		
CALL	CALL	CALL		
20.853.000	CALL	24.152.000		
CALL	CALL	CALL		

Description	2MP Ultra Series	4MP Ultra Series AcuSense		4MP Ultra Series AcuSense	2MP Ultra Series
					
Model	DS-2CD3725G0-IZSUHK	DS-2CD3743G2-IZS		DS-2CD3143G2-ISU	DS-2CD5126G0-IZSUHK
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS		1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 50 fps	(2688 * 1520) 25 fps		(2688 * 1520) 25 fps	(1920 * 1080) 50 fps
Min. Illumination	0.0068 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)		0.005 Lux @ (F1.6, AGC ON)	0.002 Lux @ (F1.2, AGC ON)
Lens Type	2.7 to 13.5 mm Motorized	2.7 to 13.5 mm Motorized		2.8 / 4 / 6mm fixed lens	2.7 to 13.5 mm Motorized
Microphone Support	Support	Support		Built-in	Support
IR Range	Up to 50m IR (DarkFighter)	Up to 40m IR		Up to 40m IR	Up to 50m IR
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+		WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 512Gb		Up to 512Gb	Up to 256Gb
Material & Protection	Metal (IP67 & IK10)	Metal & plastic (IP67 & IK10)		Aluminum & plastic (IP67 & IK10)	Metal (IK10)
Price Pars	CALL	CALL		CALL	CALL
Price Hika	22.190.000	24.884.000		15.662.000	33.246.000
Price Fara	CALL	CALL		CALL	CALL

Description	2MP <u>Pro Series</u>	3MP <u>Pro Series</u>	4MP <u>Pro Series</u>		
					
Model	<u>DS-2DE4A225IW-DE</u>	<u>DS-2DE4A320IW-DE</u>	<u>DS-2DE2A404IW-DE3</u>		
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(2048 * 1536) 25 fps	(2560 * 1440) 25 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.5, AGC ON)		
Lens Type	4.8 to 120 mm	4.7 mm to 94 mm	2.8 mm to 12 mm		
Zoom	25X Optical zoom - 16X Digital Zoom	20X Optical zoom - 16X Digital Zoom	4X Optical zoom - 16X Digital Zoom		
IR Range	Up to 50m IR (DarkFighter)	Up to 50m IR	Up to 20m IR (DarkFighter)		
Features	WDR , BLC, 3D-DNR, H.265+	WDR , HLC, 3D-DNR, H.265+	WDR , HLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 128Gb	Up to 256Gb		
Material & Protection	(IP66)	(IP66)	(IP66 & IK10)		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

Description	2MP <u>Pro Series</u>	2MP <u>Pro Series</u>	2MP <u>Pro Series</u>	4MP <u>Pro Series</u>	
					
Model	DS-2DE4220IW-DE	DS-2DE4225IW-DE(S6)	DS-2DE4225IW-DE(T5)	DS-2DE4425IW-DE(T5)	
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps	
Min. Illumination	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	
Lens Type	4.7 mm to 94 mm	4.8 to 120 mm	4.8 to 120 mm	4.8 to 120 mm	
Zoom	20X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	
IR Range	Up to 100m IR	Up to 100m IR (DarkFighter)	Up to 100m IR (DarkFighter)	Up to 100m IR (DarkFighter)	
Features	DWDR, BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	
Material & Protection	(IP66)	ADC12 (IP66)	ADC12 (IP66)	ADC12 (IP66)	
Price Pars	CALL	CALL	24.421.000	27.529.000	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Zoom

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

2MP ProSeries TandemVu	4MP ProSeries TandemVu			
				
DS-2SE4C225MWG-E12	DS-2SE4C425MWG-E14			
1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS			
(1920 * 1080) 25 fps	(2560 * 1440) 25 fps			
0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)			
4.8 to 120 mm	4.8 to 120 mm			
25X Optical zoom – 16X Digital Zoom	25X Optical zoom – 16X Digital Zoom			
Up to 100m IR (DarkFighter)	Up to 100m IR (DarkFighter)			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 256Gb	Up to 256Gb			
ADC12 (IP66)	ADC12 (IP66)			
34.054.000	CALL			
CALL	CALL			
CALL	CALL			

Description	2MP Economy Series	2MP Economy Series	2MP Pro Series	1.3MP Economy Series	1.3MP Economy Series
					
Model	DS-2DE5220IW-AE	DS-2DE5230W-AE	DS-2DE5232IW-AE	DS-2DF5276-AE3	DS-2DF5276-AEL
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1280 * 960) 30 fps	(1280 * 960) 30 fps
Min. Illumination	0.02 Lux @ (F1.5, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)
Lens Type	4.7 to 94.0 mm	4.3 to 129 mm	4.8 to 153 mm	4.3 to 129 mm	4.3 to 129 mm
Zoom	20X Optical zoom – 16X Digital Zoom	30X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	30X/20X Optical zoom – 16X Digital Zoom	30X/20X Optical zoom – 16X Digital Zoom
IR Range	Up to 150m IR	–	Up to 150m IR	–	–
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb
Material & Protection	(IP66)	(IP66)	ADC12, PC, PC+10%GF(IP66)	(IP66)	(IP66)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	CALL	67.165.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP <u>Pro Series</u>	4MP <u>Pro Series</u>	2MP <u>Pro Series</u>	2MP <u>Pro Series</u>	2MP <u>Pro Series</u>
					
Model	<u>DS-2DE5432IW-AE</u>	<u>DS-2DE5425IW-AE</u>	<u>DS-2DF6A236X-AEL</u>	<u>DS-2DE7232IW-AE</u>	<u>DS-2DE7A232IW-AEB</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(2560 * 1440) 25 fps	(2560 * 1440) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.002 Lux @ (F1.5, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	4.8 mm to 153 mm	4.8 mm to 120 mm	5.7 mm to 205.2 mm	4.8 mm to 153 mm	4.8 mm to 153 mm
Zoom	32X Optical zoom – 16X Digital Zoom	25X Optical zoom – 16X Digital Zoom	36X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom
IR Range	Up to 150m IR (DarkFighter)	Up to 150m IR (DarkFighter)	Up to 200m IR (DarkFighter)	Up to 200m IR (DarkFighter)	Up to 200m IR (DarkFighter)
Features	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	ADC 12, PC+10% GF (IP66)	Metal (IP66)	Aluminum(IP67 , IK10)	ADC12, PC, PC+10%GF(IP66 , IK10)	ADC12 (IP66 , IK10)
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	63.135.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

Min. Illumination

Lens Type

Zoom

IR Range

Features

Sd-Card

Material & Protection

Price Pars

Price Hika

Price Fara

4MP <u>Pro Series</u>	2MP <u>Pro Series</u>			
				
<u>DS-2DE7A432IW-AEB</u>	<u>DS-2DF8236I5W-AELW</u>			
1/1.8" Progressive Scan CMOS	1/1.9" Progressive Scan CMOS			
(2560 * 1440) 25 fps	(1920 * 1080) 25 fps			
0.005 Lux @ (F1.5, AGC ON)	0.002 Lux @ (F1.5, AGC ON)			
5.9 mm to 188.8 mm	5.7 mm to 205 mm			
32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom			
Up to 200m IR (DarkFighter)	Up to 500m IR			
WDR , BLC, 3D-DNR, H.265+	WDR , BLC, 3D-DNR, H.265+			
Up to 256Gb	Up to 128Gb			
ADC12 (IP66 , IK10)	(IP66 , IK10)			
CALL	CALL			
CALL	CALL			
CALL	CALL			

Description



Model

NVR

Channel Number

Decoding Capacity

In / Out bandwidth

HDMI/VGA Output

Image Sensor

Resolution

Min. Illumination

IR Range

Material & Protection

CAMERA

Price Pars


Price Hika

Price Fara

2MP | Wi Fi KIT



4MP | Wi Fi KIT



NK42W0H-1T(WD)

NK44W0H-1T(WD)

4-ch Wi-Fi

4-ch Wi-Fi

4-ch@1080p (25 fps) , **H265**

4-ch@4 MP (12 fps), **H265**

50 Mbps / 40 Mbps

50 Mbps / 40 Mbps

1-ch , resolution : 1920 × 1080

1-ch , resolution : 1920 × 1080

Support

Support

Up to 50m IR (**DarkFighter**)

Up to 40m IR

WDR, BLC, 3D-DNR, H.265+

WDR, BLC, 3D-DNR, H.265+

Up to 128Gb

Up to 512Gb

Metal (IP67 & IK10)

Metal & plastic (IP67 & IK10)

CALL

CALL

CALL

46.790.000

CALL

CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

4CH Value Series	4CH Value Series	4CH Value Series PoE	4CH Value Series	4CH Value Series PoE
				
<u>DS-7104NI-Q1</u>	<u>DS-7104NI-Q1/M</u>	<u>DS-7104NI-Q1/4P/M</u>	<u>DS-7604NI-Q1</u>	<u>DS-7604NI-Q1/4P</u>
4 Ch	4 Ch	4 Ch / 4 POE	4 Ch	4 Ch / 4 POE
40 Mbps	40 Mbps	40 Mbps	40 Mbps	40 Mbps
60 Mbps	60 Mbps	60 Mbps	80 Mbps	80 Mbps
1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	1 HDD up to 8TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	7.534.000	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

4CH Value Series	4CH Value Series PoE			
				
<u>DS-7604NI-K1</u>	<u>DS-7604NI-K1/4P</u>			
4 Ch	4 Ch / 4 POE			
40 Mbps	40 Mbps			
80 Mbps	80 Mbps			
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)			
1 Port HDMI : 4K	1 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
1 HDD up to 8TB	1 HDD up to 8TB			
1 RJ45 10/100M	1 RJ45 10/100M			
6.271.000	CALL			
8.031.000	CALL			
CALL	CALL			

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

8CH Value Series	8CH Value Series PoE	8CH Pro Series	8CH Pro Series	8CH Pro Series PoE
				
<u>DS-7108NI-Q1/M</u>	<u>DS-7108NI-Q1/8P/M</u>	<u>DS-7608NI-Q1</u>	<u>DS-7608NI-Q2</u>	<u>DS-7608NI-Q2/8P</u>
8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch / 8 POE
60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
1-ch@6 MP (30 fps)	1-ch@6 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

8CH Pro Series	8CH Pro Series PoE	8CH Pro Series	8CH Pro Series AcuSense	8CH Pro Series AcuSense
				
<u>DS-7608NI-K1</u>	<u>DS-7608NI-K1/8P</u>	<u>DS-7608NI-K2</u>	<u>DS-7608NXI-I2/S</u>	<u>DS-7608NXI-I2/8P/S</u>
8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch / 8 POE
80 Mbps	80 Mbps	80 Mbps	80 Mbps	80 Mbps
80 Mbps	80 Mbps	160 Mbps	256 Mbps	256 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	2-ch@8 MP (30 fps)	1-ch@32 MP (30 fps)	16-ch@1080P (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB	2 HDD up to 14TB	2 HDD up to 8TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M
6.854.000	CALL	CALL	CALL	CALL
CALL	CALL	CALL	27.811.000	37.813.000
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH Pro Series	16CH Pro Series	16CH Pro Series PoE	16CH Pro Series	16CH Pro Series
				
<u>DS-7616NI-Q1</u>	<u>DS-7616NI-Q2</u>	<u>DS-7616NI-Q2/16P</u>	<u>DS-7616NI-K1</u>	<u>DS-7616NI-K2</u>
16 Ch	16 Ch	16 Ch / 16 POE	16 Ch	16 Ch
160 Mbps	160 Mbps	160 Mbps	160 Mbps	160 Mbps
80 Mbps	80 Mbps	80 Mbps	80 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	11.495.000	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH Pro Series PoE	16CH Pro Series AcuSense	16CH Pro Series AcuSense	16CH Pro Series AcuSense	16CH Pro Series AcuSense
				
<u>DS-7616NI-K2/16P</u>	DS-7616NXI-K1	<u>DS-7616NXI-K2/S</u>	<u>DS-7616NXI-K2/16P</u>	<u>DS-7616NXI-I2/S</u>
16 Ch / 16 POE	16 Ch	16 Ch	16 Ch	16 Ch
160 Mbps	160 Mbps	160 Mbps	160 Mbps	160 Mbps
160 Mbps	80 Mbps	160 Mbps	160 Mbps	256 Mbps
1-ch@12 MP (30 fps)	1-ch@4K (30 fps)	1-ch@12 MP (30 fps)	2-ch@12 MP (30 fps)	2-ch@32 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
2 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 14TB
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	10.061.000	CALL	CALL
23.293.000	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH Pro Series	32CH Pro Series AcuSense			
				
<u>DS-7632NI-K2</u>	<u>DS-7632NXI-K2</u>			
32 Ch	32 Ch			
256 Mbps	256 Mbps			
160 Mbps	160 Mbps			
1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)			
1 Port HDMI : 4K	1 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
2 HDD up to 10TB	2 HDD up to 10TB			
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M			
CALL	CALL			
CALL	22.766.000			
CALL	CALL			

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH Pro Series	16CH Pro Series PoE	16CH Pro Series	16CH Pro Series PoE	16CH Pro Series
				
<u>DS-7716NI-Q4</u>	<u>DS-7716NI-Q4/16P</u>	<u>DS-7716NI-K4</u>	<u>DS-7716NI-K4/16P</u>	<u>DS-7716NXI-K4</u>
16 Ch	16 Ch / 16 POE	16 Ch	16 Ch / 16 POE	16 Ch
160 Mbps	160 Mbps	200 Mbps	160 Mbps	160 Mbps
80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH Pro Series	32CH Pro Series PoE	32CH Pro Series	32CH Pro Series PoE	32CH Pro Series
<u>DS-7732NI-Q4</u>	<u>DS-7732NI-Q4/16P</u>	<u>DS-7732NI-K4</u>	<u>DS-7732NI-K4/16P</u>	<u>DS-7732NXI-K4</u>
32 Ch	32 Ch / 16 POE	32 Ch	32 Ch / 16 POE	32 Ch
160 Mbps	160 Mbps	256 Mbps	256 Mbps	256 Mbps
80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	CALL	CALL	26.716.000
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH DeepinMind Series	32CH ProSeries AcuSense			
				
<u>iDS-7732NXI-I4/8S</u>	<u>DS-7732NXI-I4/S</u>			
32 Ch	32 Ch			
320 Mbps	256 Mbps			
256 Mbps	256 Mbps			
1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)			
2 Port HDMI : 4K	2 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
4 HDD up to 10TB	4 HDD up to 10TB			
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M			
CALL	41.466.000			
CALL	51.084.000			
CALL	CALL			

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH Ultra Series	32CH Ultra Series	64CH Ultra Series		
				
<u>DS-8616NI-K8</u>	<u>DS-8632NI-K8</u>	<u>DS-8664NI-I8</u>		
16 Ch	32 Ch	64 Ch		
160 Mbps	256 Mbps	320 Mbps		
160 Mbps	160 Mbps	256 Mbps		
2-ch@8 MP (25 fps)	2-ch@8 MP (25 fps)	1-ch@32 MP (30 fps)		
2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K		
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080		
8 HDD up to 8TB	8 HDD up to 8TB	8 HDD up to 10TB		
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M		
CALL	CALL	CALL		
CALL	CALL	CALL		
CALL	CALL	CALL		

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH Ultra Series	32CH Ultra Series	32CH DeepinMind Series	32CH Ultra Series AcuSense	32CH DeepinMind Series
				
<u>DS-9632NI-I8</u>	<u>DS-9632NI-I16</u>	<u>iDS-9632NXI-I8/4F</u>	<u>DS-9632NXI-I8/S</u>	<u>DS-9632NI-M8</u>
32 Ch	32 Ch	32 Ch	32 Ch	32 Ch
320 Mbps	320 Mbps	256 Mbps	320 Mbps	320 Mbps
256 Mbps	256 Mbps	200 Mbps	256 Mbps	400 Mbps
1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)
2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 8K
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 2560 * 1440	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080
8 HDD up to 10TB	16 HDD up to 10TB	8 HDD up to 12TB	8 HDD up to 10TB	8 HDD up to 16TB
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	379.583.000	71.926.000	CALL
103.475.000	CALL	CALL	112.755.000	CALL
CALL	CALL	CALL	CALL	CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH | DeepinMind Series



DS-9632NI-M16

32 Ch

320 Mbps

400 Mbps

2-ch@32 MP (30 fps)

2 Port HDMI : 8K

2 Port VGA : 1920 * 1080

16 HDD up to 16TB

2 RJ45 10/100/1000M

CALL

132.222.000

CALL

Description



Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

64CH Ultra Series	64CH Ultra Series AcuSense	64CH Ultra Series AcuSense	64CH Ultra Series	128CH Ultra Series
				
<u>DS-9664NI-I8</u>	<u>DS-9664NI-M8</u>	<u>DS-9664NXI-I8/S</u>	<u>DS-9664NI-I16</u>	<u>DS-96128NI-I16</u>
64 Ch	64 Ch	64 Ch	64 Ch	128 Ch
320 Mbps	400 Mbps	384 Mbps	320 Mbps	576 Mbps
256 Mbps	400 Mbps	256 Mbps	256 Mbps	512 Mbps
1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)
2 Port HDMI : 4K	2 Port HDMI : 8K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
8 HDD up to 10TB	8 HDD up to 16TB	8 HDD up to 14TB	16 HDD up to 10TB	16 HDD up to 10TB
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	4 RJ45 10/100/1000M
CALL	115.900.000	CALL	CALL	CALL
CALL	141.512.000	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL