



## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

2MP   Economy Series	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series
				
<u>DS-2CD1021G0E-I</u>	<u>DS-2CD1023G0E-I</u>	<u>DS-2CD1023G0-I</u>	<u>DS-2CD1023G0-IUF</u>	<u>DS-2CD1023G2-LIU</u>
1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (2.0, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
NO	NO	NO	<b>Built-in</b>	<b>Built-in</b>
Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
NO	NO	NO	Up to 256Gb	NO
Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )
CALL	3.470.000	CALL	3.832.000	3.532.000
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

DS-2CD1027G0-L

## Image Sensor

1/2.8" Progressive Scan CMOS

## Resolution

(1920 \* 1080) 25 fps

## Min. Illumination

0.001 Lux @ (F1.0, AGC ON)

## Lens Type

2.8 mm / 4 mm fixed lens

## Microphone Support

NO

## IR Range

Up to 30m IR **(Color Vu)**

## Features

DWDR, BLC, 3D-DNR, H.265+

## Sd-Card

NO

## Material & Protection

Aluminum ( IP67 )

## Price Pars

CALL

## Price Hika

CALL

## Price Fara

CALL

2MP | Economy Series





## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

4MP   Economy Series	4MP   Economy Series	4MP   Economy Series	4MP   Economy Series	4MP   Economy Series
				
<u>DS-2CD1043G0-I</u>	<u>DS-2CD1043G0-IUF</u>	<u>DS-2CD1043G2-LIU</u>	<u>DS-2CD1047G0-L</u>	<u>DS-2CD1047G2-L</u>
1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS
(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
NO	<b>Built-in</b>	<b>Built-in</b>	NO	NO
Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>
<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
NO	NO	Up to 512Gb	NO	Up to 256Gb
Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal ( IP67 )	Aluminum ( IP67 )
5.200.000	CALL	5.749.000	CALL	CALL
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

	5MP   Economy Series	5MP   Economy Series	6MP   Economy Series	6MP   Economy Series	6MP   Economy Series
					
	<u>DS-2CD1053G0-I</u>	<u>DS-2CD1057G0-L</u>	<u>DS-2CD1063G2-LIU</u>	<u>DS-2CD1067G2-L</u>	<u>DS-2CD1067G2H-LIU</u>
	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS
	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps	(3200 * 1800) 20 fps	(3200 * 1800) 20 fps	(3200 * 1800) 20 fps
	0.01 Lux @ (F1.2, AGC ON)	0.001 Lux @ (F1.0 AGC ON)	0.005 Lux @ (F1.6 AGC ON)	0.001 Lux @ (F1.0 AGC ON)	0.001 Lux @ (F1.0 AGC ON)
	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
	NO	NO	<b>Built-in</b>	NO	<b>Built-in</b>
	Up to 30m IR	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>
	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
	NO	NO	Up to 256Gb	Up to 512 Gb	Up to 512 Gb
	Metal & plastic ( IP67 )	Aluminum ( IP67 )	Metal & plastic ( IP67 )	Aluminum ( IP67, IK10 )	Metal & plastic ( IP67 )
	CALL	CALL	6.400.000	7.159.000	7.159.000
	CALL	CALL	CALL	CALL	CALL
	CALL	CALL	CALL	CALL	CALL

Description	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series		
					
Model	<a href="#">DS-2CD1123G0-I</a>	<a href="#">DS-2CD1123G0E-I</a>	<a href="#">DS-2CD1123G2-LIU</a>		
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 20 fps		
Min. Illumination	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)		
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens		
Microphone Support	NO	NO	<b>Built-in</b>		
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR		
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR , BLC, 3D-DNR, H.265+		
Sd-Card	NO	NO	Up to 512Gb		
Material & Protection	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67, IK8 )		
Price Pars	CALL	3.386.000	3.531.000		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		



Description	4MP   Economy Series	4MP   Economy Series	4MP   Economy Series	5MP   Economy Series	
					
Model	<a href="#">DS-2CD1143G0-I</a>	<a href="#">DS-2CD1143G0-IUF</a>	<a href="#">DS-2CD1143G2-LIU</a>	<a href="#">DS-2CD1153G0-I</a>	
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(2560 * 1440) 20 fps	(2688 * 1520) 20 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.01 Lux @ (F2.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	<b>Built-in</b>	<b>Built-in</b>	NO	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	NO	Up to 256Gb	Up to 512b	NO	
Material & Protection	Aluminum ( IP67 )	Aluminum ( IP67, IK10 )	Metal & plastic ( IP67, IK8 )	Aluminum ( IP67, IK10 )	
Price Pars	5.977.000	CALL	6.489.000	6.255.000	
Price Hika	CALL	CALL	7.100.000	CALL	
Price Fara	CALL	CALL	CALL	CALL	



Description	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series	2MP   Economy Series
					
Model	<u>DS-2CD1321G0E-I</u>	<u>DS-2CD1323G0E-I</u>	<u>DS-2CD1323G0-IUF</u>	<u>DS-2CD1327G0-L</u>	<u>DS-2CD1327G2-L</u>
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 20 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens
Microphone Support	NO	NO	<b>Built-in</b>	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+
Sd-Card	NO	NO	Up to 256Gb	NO	NO
Material & Protection	( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	CALL	CALL	CALL	7.368.000
Price Fara	CALL	CALL	CALL	CALL	CALL



Description	4MP   Economy Series	4MP   Economy Series	5MP   Economy Series	5MP   Economy Series	
					
Model	<u>DS-2CD1347G0-L</u>	<u>DS-2CD1347G2-L</u>	<u>DS-2CD1353G0-I</u>	<u>DS-2CD1357G0-L</u>	
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	
Resolution	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(2560 * 1920) 20 fps	
Min. Illumination	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	
Microphone Support	NO	NO	NO	NO	
IR Range	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR	Up to 30m IR <b>(Color Vu)</b>	
Features	DWDR, BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	NO	NO	NO	NO	
Material & Protection	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	
Price Pars	CALL	CALL	CALL	9.134.000	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP   Economy Series	2MP   Economy Series	4MP   Economy Series	5MP   Economy Series	5MP   Economy Series
					
Model	<u>DS-2CD1623G0-I</u>	<u>DS-2CD1623G0-IZ</u>	<u>DS-2CD1643G0-IZ</u>	<u>DS-2CD1653G0-I</u>	<u>DS-2CD1653G0-IZ</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1920) 12.5 fps	(2560 * 1920) 20 fps
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	<b>vari-focal lens</b> - 2.8 to 12 mm	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	<b>vari-focal lens</b> - 2.8 to 12 mm	2.8 to 12 mm <b>Motorized</b>
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 50m IR	Up to 30m IR	Up to 50m IR
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	Metal & plastic ( IP67 )	( IP67 )
Price Pars	CALL	CALL	9.300.000	CALL	CALL
Price Hika	CALL	CALL	12.665.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP   Economy Series	4MP   Economy Series	4MP   Economy Series	5MP   Economy Series	5MP   Economy Series
					
Model	<u>DS-2CD1723G0-IZ</u>	<u>DS-2CD1743G0-IZ</u>	<u>DS-2CD1743G2-LIZU</u>	<u>DS-2CD1753G0-I</u>	<u>DS-2CD1753G0-IZ</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 20 fps	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(2560 * 1920) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	<b>vari-focal lens</b> - 2.8 to 12 mm	2.8 to 12 mm <b>Motorized</b>
Microphone Support	NO	NO	<b>Built-in</b>	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR
Features	DWDR, BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 512Gb	Up to 256Gb	Up to 256Gb
Material & Protection	( IP67 , IK10 )	Metal ( IP67 )	Metal & plastic ( IP67 , IK08 )	( IP67 , IK10 )	( IP67 )
Price Pars	CALL	9.300.000	9.904.000	CALL	CALL
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



Description	2MP   ProSeries AcuSense	2MP   ProSeries AcuSense	2MP   Pro Series	2MP   Pro Series	2MP   ProSeries AcuSense
					
Model	<u>DS-2CD2021G1-I</u>	<u>DS-2CD2023G2-I</u>	<u>DS-2CD2025FWD-I</u>	<u>DS-2CD2025FHWD-I</u>	<u>DS-2CD2027G2-L</u>
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR <b>(DarkFighter)</b>	Up to 30m IR <b>(DarkFighter)</b>	Up to 40m IR <b>(Color Vu)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Metal & plastic ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	( IP67 )
Price Pars	CALL	7.597.000	CALL	8.834.000	8.815.000
Price Hika	CALL	9.273.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL





Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   Pro Series	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense
					
Model	<u>DS-2CD2043G2-I</u>	<u>DS-2CD2043G2-IU</u>	<u>DS-2CD2045FWD-I</u>	<u>DS-2CD2046G2-I</u>	<u>DS-2CD2046G2-IU</u>
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.014 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	<b>Built-in</b>	NO	NO	<b>Built-in</b>
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR ( <b>DarkFighter</b> )	Up to 40m IR ( <b>DarkFighter</b> )	Up to 40m IR ( <b>DarkFighter</b> )
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 512Gb
Material & Protection	( IP67 )	( IP67 )	Metal ( IP67 )	( IP67 )	( IP67 )
Price Pars	8.000.000	CALL	CALL	9.696.000	CALL
Price Hika	CALL	12.799.000	CALL	CALL	13.734.000
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense		
					
Model	<u>DS-2CD2047G2-L</u>	<u>DS-2CD2047G2-LU</u>	<u>DS-2CD2047G2H-LIU</u>		
Image Sensor	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS		
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps		
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 mm fixed lens		
Microphone Support	NO	<b>Built-in</b>	<b>Built-in</b>		
IR Range	Up to 40m IR <b>(Color Vu)</b>	Up to 40m IR <b>(Color Vu)</b>	Up to 40m IR <b>(Color Vu)</b>		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 512Gb	Up to 512Gb		
Material & Protection	( IP67 )	( IP67 )	( IP67 )		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		



Description	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense		
					
Model	<u>DS-2CD2063G2-I</u>	<u>DS-2CD2066G2-I</u>	<u>DS-2CD2066G2-IU</u>		
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS		
Resolution	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	NO	NO	<b>Built-in</b>		
IR Range	Up to 40m IR	Up to 40m IR ( <b>Darkfighter</b> )	Up to 40m IR ( <b>Darkfighter</b> )		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 512Gb	Up to 512Gb		
Material & Protection	Aluminum & plastic ( IP67 )	Metal ( IP67 )	Metal ( IP67 )		
Price Pars	8.700.000	CALL	CALL		
Price Hika	CALL	CALL	17.529.000		
Price Fara	CALL	CALL	CALL		







Description	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	
					
Model	<u>DS-2CD2083G2-I</u>	<u>DS-2CD2085G1-I</u>	<u>DS-2CD2086G2-I</u>	<u>DS-2CD2086G2-IU</u>	
Image Sensor	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps	(3840 * 2160) 25 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	
Microphone Support	NO	NO	NO	<b>Built-in</b>	
IR Range	Up to 40m IR	Up to 30m IR <b>(Darkfighter)</b>	Up to 40m IR <b>(Darkfighter)</b>	Up to 40m IR <b>(Darkfighter)</b>	
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 256Gb	Up to 128Gb	Up to 256Gb	Up to 512Gb	
Material & Protection	Aluminum & plastic ( IP67 )	Metal & plastic ( IP67, IK10 )	Metal ( IP67 )	Metal ( IP67 )	
Price Pars	10.485.000	13.572.000	14.127.000	CALL	
Price Hika	CALL	CALL	CALL	19.120.000	
Price Fara	CALL	CALL	CALL	CALL	

Description	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense		
 <p>داليا سمارت WWW.DALIASMART.COM</p>					
Model	<u>DS-2CD2087G2-L</u>	<u>DS-2CD2087G2-LU</u>	DS-2CD2087G2H-LIU		
Image Sensor	1/1.2" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS		
Resolution	(3840 * 2160) 25 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps		
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	NO	<b>Built-in</b>	<b>Built-in</b>		
IR Range	Up to 40m IR <b>(Color Vu)</b>	Up to 40m IR <b>(Color Vu)</b>	Up to 40m IR <b>(Color Vu)</b>		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256 Gb	Up to 256 Gb	Up to 512 Gb		
Material & Protection	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )		
Price Pars	CALL	CALL	13.444.000		
Price Hika	23.405.000	24.696.000	CALL		
Price Fara	CALL	CALL	CALL		






Description	2MP   Pro Series	2MP   ProSeries AcuSense	2MP   ProSeries AcuSense	2MP   Pro Series	2MP   Pro Series
					
Model	DS-2CD2121G0-I	DS-2CD2123G2-I	DS-2CD2123G2-IU	DS-2CD2125FHWD-IS	DS-2CD2H25FWD-IZS
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(1920 * 1080) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 to 12 mm
Microphone Support	NO	NO	<b>Built-in</b>	support	support
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR <b>(DarkFighter)</b>	Up to 30m IR <b>(DarkFighter)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb
Material & Protection	( IP67 )	Aluminum & plastic ( IP67 )	Aluminum & plastic(IP67,IK10)	Metal ( IP67, IK10 )	Metal ( IP66, IK10 )
Price Pars	CALL	CALL	7.318.000	CALL	16.397.000
Price Hika	6.811.000	8.826.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   Pro Series	4MP   Pro Series
					
Model	<u>DS-2CD2126G2-ISU</u>	<u>DS-2CD2143G2-I</u>	<u>DS-2CD2143G2-IU</u>	<u>DS-2CD2143G2-LIS2U</u>	<u>DS-2CD2145FWD-IS</u>
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.002 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)
Lens Type	2.8 mm / 4 mm fixed lens	2.8 mm / 4 mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens
Microphone Support	<b>Built-in</b>	NO	<b>Built-in</b>	<b>Built-in</b>	Support
IR Range	Up to 30m IR ( <b>DarkFighter</b> )	Up to 30m IR	Up to 30m IR	Up to 30m IR	Up to 30m IR ( <b>Darkfighter</b> )
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 512Gb	Up to 128Gb
Material & Protection	Aluminum & plastic(IP67,IK10)	( IP67 , IK10 )	Aluminum (IP67,IK10)	Aluminum & plastic(IP67,IK10)	Metal ( IP67 , IK10 )
Price Pars	9.501.000	CALL	8.828.000	9.409.000	CALL
Price Hika	CALL	CALL	9.620.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense
					
Model	<u>DS-2CD2146G2-I</u>	<u>DS-2CD2146G2-ISU</u>	<u>DS-2CD2147G2-LSU</u>	<u>DS-2CD2163G2-I</u>	<u>DS-2CD2163G2-IU</u>
Image Sensor	1/2.7" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(2592 * 1944) 20 fps	(2592 * 1944) 20 fps	(2688 * 1520) 25 fps	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps
Min. Illumination	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	NO	<b>Built-in</b>	<b>Built-in</b>	NO	<b>Built-in</b>
IR Range	Up to 30m IR ( <b>Darkfighter</b> )	Up to 30m IR ( <b>DarkFighter</b> )	Up to 30m IR ( <b>Color Vu</b> )	Up to 30m IR	Up to 30m IR
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 512Gb	Up to 512Gb	Up to 256Gb
Material & Protection	( IP67 , IK10 )	Metal ( IP67 , IK10 )	( IP67 , IK10 )	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)
Price Pars	CALL	CALL	CALL	CALL	9.440.000
Price Hika	CALL	13.734.000	CALL	CALL	11.044.000
Price Fara	CALL	CALL	CALL	CALL	CALL


Description	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense
					
Model	<a href="#">DS-2CD2163G2-LIS2U</a>	<a href="#">DS-2CD2166G2-I</a>	<a href="#">DS-2CD2166G2-ISU</a>	<a href="#">DS-2CD2183G2-I</a>	<a href="#">DS-2CD2183G2-IU</a>
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	<b>Built-in</b>	NO	<b>Built-in</b>	NO	<b>Built-in</b>
IR Range	Up to 30m IR	Up to 30m IR <b>(DarkFighter)</b>	Up to 30m IR <b>(DarkFighter)</b>	Up to 30m IR	Up to 30m IR
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 512Gb	Up to 512Gb	Up to 256Gb
Material & Protection	Aluminum (IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)	Aluminum & plastic(IP67,IK10)
Price Pars	9.440.000	CALL	CALL	CALL	9.942.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



Description	8MP   Pro Series	8MP   Pro Series	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	
					
Model	DS-2CD2183G2-LIS2U	<u>DS-2CD2185FWD-I</u>	<u>DS-2CD2186G2-I</u>	DS-2CD2186G2-ISU	
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	
Resolution	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps	(3840 * 2160) 25 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	
Lens Type	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 mm / 4mm fixed lens	2.8 mm / 4mm fixed lens	
Microphone Support	<b>Built-in</b>	NO	NO	<b>Built-in</b>	
IR Range	Up to 30m IR	Up to 30m IR	Up to 30m IR ( <b>Darkfighter</b> )	Up to 30m IR ( <b>Darkfighter</b> )	
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 512Gb	Up to 128Gb	Up to 256Gb	Up to 256Gb	
Material & Protection	Aluminum (IP67,IK10)	( IP67 , IK10 )	( IP67 , IK10 )	( IP67 , IK10 )	
Price Pars	10.340.000	13.430.000	CALL	CALL	
Price Hika	CALL	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	2MP   ProSeries AcuSense	4MP   Pro Series			
					
Model	DS-2CD2327G2-L	DS-2CD2345FWD-I			
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS			
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps			
Min. Illumination	0.0005 Lux @ (F1.0, AGC ON)	0.008 Lux @ (F1.2, AGC ON)			
Lens Type	2.8 mm / 4mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens			
Microphone Support	NO	NO			
IR Range	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Darkfighter)</b>			
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+			
Sd-Card	Up to 512Gb	Up to 128Gb			
Material & Protection	Aluminum ( IP67 )	Metal ( IP67 )			
Price Pars	9.450.000	CALL			
Price Hika	CALL	CALL			
Price Fara	CALL	CALL			

Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	8MP   ProSeries AcuSense
					
Model	<u>DS-2CD2343G2-IU</u>	<u>DS-2CD2346G2-IU</u>	<u>DS-2CD2347G2-L</u>	<u>DS-2CD2347G2-LU</u>	<u>DS-2CD2387G2-L</u>
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.2" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 mm / 4mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	<b>Built-in</b>	<b>Built-in</b>	NO	<b>Built-in</b>	NO
IR Range	Up to 30m IR	Up to 30m IR <b>(Darkfighter)</b>	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>	Up to 30m IR <b>(Color Vu)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 256Gb	Up to 256Gb	Up to 512Gb
Material & Protection	Aluminum ( IP67 )	(IP67)	Aluminum ( IP67 )	Aluminum ( IP67 )	Metal ( IP67 )
Price Pars	CALL	10.000.000	CALL	CALL	CALL
Price Hika	10.161.000	CALL	CALL	CALL	25.608.000
Price Fara	CALL	CALL	CALL	CALL	CALL






Description	4MP   Pro Series	5MP   Pro Series	8MP   Pro Series		
					
Model	<u>DS-2CD1T43G2-LIU</u>	<u>DS-2CD1T57G0-L</u>	<u>DS-2CD1T83G0-I</u>		
Image Sensor	1/3" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	½.8" Progressive Scan CMOS		
Resolution	(2560 * 1440) 20 fps	(2560 * 1920) 20 fps	(3840 * 2160) 12.5 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.01 Lux @ (F2.0, AGC ON)		
Lens Type	4 mm / 6 mm fixed lens	4 mm / 6 mm fixed lens	4 mm / 6 mm fixed lens		
Microphone Support	<b>Built-in</b>	NO	NO		
IR Range	Up to 50m IR	Up to 50m IR <b>(Color Vu)</b>	Up to 50m IR		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 512Gb	Up to 256Gb	Up to 256Gb		
Material & Protection	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )	Metal & plastic ( IP67 )		
Price Pars	6.526.000	CALL	8.200.000		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		



Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   Pro Series	4MP   Pro Series
					
Model	<a href="#">DS-2CD2T43G2-2I</a>	<a href="#">DS-2CD2T43G2-4I</a>	<a href="#">DS-2CD2T43G2-4LI</a>	<a href="#">DS-2CD2T45FWD-I5</a>	<a href="#">DS-2CD2T45FWD-I8</a>
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.9" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.008 Lux @ (F1.2, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens	2.8 / 4 / 6 / 8mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 60m IR	Up to 80m IR	Up to 80m IR	Up to 50m IR <b>(DarkFighter)</b>	Up to 80m IR <b>(DarkFighter)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 512Gb	Up to 128Gb	Up to 128Gb
Material & Protection	Aluminum & plastic ( IP67 )	Aluminum & plastic ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	10.741.000	11.586.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense	4MP   ProSeries AcuSense		
					
Model	<u>DS-2CD2T46G2-4I</u>	<u>DS-2CD2T46G2-ISU/SL</u>	<u>DS-2CD2T47G2-L</u>		
Image Sensor	1/3" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS		
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps		
Min. Illumination	0.003 Lux @ (F1.4, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)		
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		
Microphone Support	NO	<b>Built-in</b>	NO		
IR Range	Up to 80m IR ( <b>DarkFighter</b> )	Up to 60m IR	Up to 60m IR ( <b>Color Vu</b> )		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 256Gb		
Material & Protection	Metal ( IP67 )	Aluminum ( IP67 )	Metal ( IP67 )		
Price Pars	CALL	CALL	13.450.000		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

Description	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   ProSeries AcuSense	6MP   Pro Series
					
Model	<a href="#">DS-2CD2T63G2-2I</a>	<a href="#">DS-2CD2T63G2-4I</a>	<a href="#">DS-2CD2T66G2-2I</a>	<a href="#">DS-2CD2T66G2-4I</a>	<a href="#">DS-2CD2T67G2H-LI</a>
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps	(3200 * 1800) 25 fps	(3200 * 1800) 25 fps	(3200 * 1800) 20 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 mm / 4mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 60m IR	Up to 80m IR	Up to 60m IR <b>(DarkFighter)</b>	Up to 80m IR <b>(DarkFighter)</b>	Up to 60 m IR
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 256Gb	Up to 512Gb	Up to 256Gb	Up to 512 Gb
Material & Protection	Aluminum & plastic ( IP67 )	Aluminum & plastic ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )
Price Pars	CALL	10.787.000	CALL	CALL	17.800.000
Price Hika	CALL	CALL	CALL	16.115.000	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense
					
Model	<a href="#">DS-2CD2T83G2-2I</a>	<a href="#">DS-2CD2T83G2-4I</a>	<a href="#">DS-2CD2T85G1-I5</a>	<a href="#">DS-2CD2T85G1-I8</a>	<a href="#">DS-2CD2T86G2-4I</a>
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens
Microphone Support	NO	NO	NO	NO	NO
IR Range	Up to 60m IR	Up to 80m IR	Up to 50m IR <b>(Darkfighter)</b>	Up to 80m IR <b>(Darkfighter)</b>	Up to 80m IR <b>(Darkfighter)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 128Gb	Up to 256Gb
Material & Protection	Aluminum & plastic ( IP67 )	Aluminum & plastic ( IP67 )	Metal ( IP67 )	Metal ( IP67 )	Metal ( IP67 )
Price Pars	CALL	12.699.000	12.699.000	CALL	16.241.000
Price Hika	CALL	CALL	CALL	CALL	18.608.000
Price Fara	CALL	CALL	CALL	CALL	CALL



## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

8MP | ProSeries AcuSense 8MP | ProSeries AcuSense



DS-2CD2T87G2-L

DS-2CD2T87G2-LK

1/1.2" Progressive Scan CMOS

1/1.2" Progressive Scan CMOS

(3840 \* 2160) 25 fps

(3840 \* 2160) 20 fps

0.0005 Lux @ (F1.0, AGC ON)

0.0005 Lux @ (F1.0, AGC ON)

2.8 / 4 / 6mm fixed lens

2.8 / 4 / 6mm fixed lens

NO

NO

Up to 60m IR **(Color Vu)**

Up to 60m IR **(Color Vu)**

**WDR**, BLC, 3D-DNR, H.265+

**WDR**, BLC, 3D-DNR, H.265+

Up to 512b

Up to 256Gb

Metal ( IP67 )

Metal ( IP67 )

CALL

CALL

CALL

CALL

CALL

CALL

## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection







## Price Pars

## Price Hika

## Price Fara

	2MP   Pro Series Wi Fi	4MP   Pro Series Wi Fi			
					
Model	<u>DS-2CD2423G0-IW</u>	<u>DS-2CD2443G0-IW</u>			
Image Sensor	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS			
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps			
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)			
Lens Type	2.8 mm Fixed lens	2.8 mm / 4mm Fixed lens			
Microphone Support	<b>Built-in</b>	<b>Built-in</b>			
IR Range	Up to 10m IR	Up to 10m IR			
Features	<b>WDR</b> , H.265+	<b>WDR</b> , 3D-DNR, H.265+			
Sd-Card	Up to 128Gb	Up to 128Gb			
Material & Protection	plastic ( IP66 , IK10)	plastic ( IP66 , IK10)			
Price Pars	CALL	9.179.000			
Price Hika	10.575.000	10.700.000			
Price Fara	CALL	CALL			

Description	2MP   Pro Series	4MP   ProSeries AcuSense	4MP   Pro Series	4MP   ProSeries AcuSense	6MP   ProSeries AcuSense
					
Model	DS-2CD2625FWD-IZS	DS-2CD2643G2-IZS	DS-2CD2645FWD-IZS	DS-2CD2646G2-IZS	DS-2CD2663G2-IZS
Image Sensor	1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3200 * 1800) 20 fps
Min. Illumination	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>
Microphone Support	Support	Support	Support	Support	Support
IR Range	Up to 50m IR <b>(Darkfighter)</b>	Up to 60m IR	Up to 50m IR <b>(Darkfighter)</b>	Up to 60m IR <b>(Darkfighter)</b>	Up to 60m IR
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	Up to 256Gb
Material & Protection	metal ( IP66 , IK10 )	Aluminum ( IP67 , IK10 )	metal ( IP66 , IK10 )	ADC12 ( IP67 , IK10 )	Aluminum ( IP67 , IK10 )
Price Pars	CALL	16.254.000	CALL	19.315.000	CALL
Price Hika	CALL	CALL	CALL	23.416.000	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	6MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   Pro Series
					
Model	<a href="#">DS-2CD2666G2-IZS</a>	<a href="#">DS-2CD2683G2-IZS</a>	<a href="#">DS-2CD2683G2-LIZS2U</a>	<a href="#">DS-2CD2685G1-IZS</a>	<a href="#">DS-2CD2685FWD-IZS</a>
Image Sensor	1/2.4" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS
Resolution	(3200 * 1800) 25 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps
Min. Illumination	0.003 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
Lens Type	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>
Microphone Support	Support	Support	<b>Built-in</b>	Support	Support
IR Range	Up to 60m IR <b>(Darkfighter)</b>	Up to 60m IR	Up to 60m IR	Up to 50m IR <b>(Darkfighter)</b>	Up to 50m IR <b>(Darkfighter)</b>
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 512Gb	Up to 128Gb	Up to 128Gb
Material & Protection	metal ( IP66 , IK10 )	Aluminum ( IP67 , IK10 )	Aluminum ( IP67 , IK10 )	Metal ( IP67 )	Metal ( IP66, IK10 )
Price Pars	CALL	18.830.000	19.830.000	CALL	CALL
Price Hika	24.607.000	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

8MP | ProSeries AcuSense 8MP | ProSeries AcuSense



DS-2CD2686G2-IZS

DS-2CD2687G2HT-LIZS

1/1.8" Progressive Scan CMOS

1/1.8" Progressive Scan CMOS

(3840 \* 2160) 25 fps

(3840 \* 2160) 25 fps

0.003 Lux @ (F1.4, AGC ON)

0.0028 Lux @ (F1.2, AGC ON)

2.8 to 12 mm **Motorized**

2.8 to 12 mm **Motorized**

Support

Support

Up to 60m IR (**Darkfighter**)

Up to 60m IR (**Color Vu**)

**WDR**, BLC, 3D-DNR, H.265+

**WDR**, BLC, 3D-DNR, H.265+

Up to 512Gb

Up to 512Gb

Metal ( IP66 , IK10 )

Metal ( IP67 , IK10 )

24.125.000

26.140.000

CALL

CALL

CALL

CALL

Description	2MP   Pro Series	4MP   ProSeries AcuSense	4MP   Pro Series	4MP   ProSeries AcuSense	
					
Model	DS-2CD2721G0-IZS	DS-2CD2743G2-IZS	DS-2CD2745FWD-IZS	DS-2CD2746G2-IZS	
Image Sensor	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS	1/3" Progressive Scan CMOS	
Resolution	(1920 * 1080) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	
Lens Type	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	
Microphone Support	Support	Support	Support	Support	
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR ( <b>Darkfighter</b> )	Up to 40m IR ( <b>Darkfighter</b> )	
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb	Up to 512Gb	
Material & Protection	Metal ( IP67 , IK10 )	Metal & plastic ( IP67 , IK10 )	metal ( IP66 , IK10 )	( IP66 , IK10 )	
Price Pars	CALL	16.877.000	CALL	CALL	
Price Hika	11.519.000	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features


## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

6MP   ProSeries AcuSense	6MP   ProSeries AcuSense			
				
<u>DS-2CD2763G1-IZS</u>	<u>DS-2CD2766G2-IZS</u>			
1/2.9" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS			
(3072 * 2048) 20 fps	(3200 * 1800) 25 fps			
0.01 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)			
2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>			
Support	Support			
Up to 30m IR	Up to 40m IR			
<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+			
Up to 128Gb	Up to 512Gb			
Metal ( IP67 , IK10 )	Metal ( IP66 , IK10 )			
CALL	CALL			
CALL	CALL			
CALL	CALL			

Description	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense	8MP   ProSeries AcuSense
					
Model	<a href="#">DS-2CD2783G2-IZS</a>	<a href="#">DS-2CD2783G2-LIZS2U</a>	<a href="#">DS-2CD2785G1-IZS</a>	<a href="#">DS-2CD2786G2-IZS</a>	<a href="#">DS-2CD2787G2HT-LIZS</a>
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.008 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.4, AGC ON)	0.0028 Lux @ (F1.2, AGC ON)
Lens Type	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>	2.8 to 12 mm <b>Motorized</b>
Microphone Support	Support	<b>Built-in</b>	Support	Support	Support
IR Range	Up to 40m IR	Up to 40m IR	Up to 30m IR ( <b>Darkfighter</b> )	Up to 40m IR ( <b>DarkFighter</b> )	Up to 40m IR ( <b>Color Vu</b> )
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 512Gb	Up to 128Gb	Up to 256Gb	Up to 512Gb
Material & Protection	Metal & plastic ( IP67 , IK10)	Metal ( IP67 , IK10)	Metal & plastic ( IP67 , IK10)	Metal ( IP66 , IK10)	Metal ( IP67 , IK10)
Price Pars	18.830.000	19.830.000	CALL	23.131.000	24.833.000
Price Hika	CALL	CALL	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



Description	5MP   Pro Series Fisheye	5MP   Pro Series Fisheye	3MP   Pro Series Fisheye	1MP   Pro Series Pinhole	
					
Model	<u>DS-2CD2955FWD-IS</u>	<u>DS-2CD2955G0-ISU</u>	<u>DS-2CD6332FWD-IS</u>	DS-2CD2D14WD	
Image Sensor	1/2.5" Progressive Scan CMOS	1/2.7" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/4" Progressive Scan CMOS	
Resolution	(2560 * 1920) 25 fps	(2560 * 1920) 25 fps	(2048 * 1536) 25 fps	(1280 * 720) 30 fps	
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.017 Lux @ (F2.25, AGC ON)	0.1 Lux @ (F1.2, AGC ON)	0.028 Lux @ (F2.0, AGC ON)	
Lens Type	1.05 mm	1.05 mm	1.19 mm	3.2 mm	
Microphone Support	Support	<b>Built-in</b>	Support	NO	
IR Range	Up to 10m IR	Up to 8m IR	Up to 10m IR	-	
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 64Gb	NO	
Material & Protection	-	ADC12	( IP66 , IK10 )	-	
Price Pars	CALL	CALL	CALL	CALL	
Price Hika	22.003.000	CALL	CALL	CALL	
Price Fara	CALL	CALL	CALL	CALL	

Description	4MP   Ultra Series	8MP   Ultra Series	8MP   Ultra Series AcuSense		
					
Model	<u>DS-2CD3T43G0-2I</u>	<u>DS-2CD3T85G0-4IS</u>	<u>DS-2CD3T86G2-4IS</u>		
Image Sensor	1/3" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS		
Resolution	(2688 * 1520) 25 fps	(3840 * 2160) 20 fps	(3840 * 2160) 25 fps		
Min. Illumination	0.01 Lux @ (F1.2, AGC ON)	0.016 Lux @ (F1.6, AGC ON)	0.003 Lux @ (F1.6, AGC ON)		
Lens Type	2.8 / 4 / 6 / 8mm Fixed lens	2.8 / 4 / 6mm Fixed lens	2.8 / 4 / 6mm Fixed lens		
Microphone Support	NO	NO	NO		
IR Range	Up to 60m IR	Up to 90m IR <b>(DarkFighter)</b>	Up to 90m IR <b>(DarkFighter)</b>		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 128Gb	Up to 128Gb	Up to 512Gb		
Material & Protection	Metal ( IP67 )	Metal & plastic ( IP67 )	Metal ( IP67 )		
Price Pars	CALL	CALL	CALL		
Price Hika	19.844.000	CALL	22.893.000		
Price Fara	CALL	CALL	CALL		

Description	2MP   UltraSeries AcuSense	2MP   Ultra Series	4MP   Ultra Series		
					
Model	DS-2CD3623G2-IZSUHK	DS-2CD3625G0-IZSUHK	DS-2CD3645G0-IZSUHK		
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.5" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 50 fps	(2688 * 1520) 25 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.0068 Lux @ (F1.4, AGC ON)	0.011 Lux @ (F1.4, AGC ON)		
Lens Type	2.7 to 13.5 mm <b>Motorized</b>	2.7 to 13.5 mm <b>Motorized</b>	2.7 to 13.5 mm <b>Motorized</b>		
Microphone Support	Support	Support	Support		
IR Range	Up to 60m IR	Up to 60m IR <b>(DarkFighter)</b>	Up to 60m IR <b>(DarkFighter)</b>		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 128Gb	Up to 128Gb		
Material & Protection	Aluminum ( IP67 & IK10 )	Metal ( IP67 & IK10 )	Metal ( IP67 & IK10 )		
Price Pars	CALL	CALL	CALL		
Price Hika	23.783.000	CALL	24.152.000		
Price Fara	CALL	CALL	CALL		

Description	4MP   Ultra Series	4MP   Ultra Series AcuSense	6MP   Ultra Series AcuSense	6MP   Ultra Series AcuSense	8MP   Ultra Series AcuSense
					
Model	<u>DS-2CD3143G2-IU</u>	<u>DS-2CD3143G2-ISU</u>	<u>DS-2CD3061G2-LIUF</u>	<u>DS-2CD3161G2-LIUF</u>	<u>DS-2CD3183G2-ISU</u>
Image Sensor	1/2.9" Progressive Scan CMOS	1/3" Progressive Scan CMOS	1/2.4" Progressive Scan CMOS		1/2.8" Progressive Scan CMOS
Resolution	(2688 * 1520) 25 fps	(2688 * 1520) 25 fps	(3200 * 1800) 20 fps		(3840 * 2160) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)		0.005 Lux @ (F1.6, AGC ON)
Lens Type	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens	2.8 / 4 / 6mm fixed lens		2.8 / 4 / 6mm fixed lens
Microphone Support	<b>Built-in</b>	<b>Built-in</b>	<b>Built-in</b>		<b>Built-in</b>
IR Range	Up to 40m IR	Up to 40m IR	Up to 40m IR		Up to 40m IR
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 512Gb	Up to 512Gb	Up to 512Gb		Up to 512Gb
Material & Protection	Aluminum ( IP67 & IK10)	Aluminum & plastic ( IP67 & IK10)	Metal & plastic ( IP67)		Aluminum ( IP67 & IK10)
Price Pars	9.212.000	CALL	6.506.000	6.818.000	10.945.000
Price Hika	CALL	17.763.000	CALL	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



## Description



## Model

## Image Sensor

## Resolution

## Min. Illumination

## Lens Type

## Microphone Support

## IR Range

## Features

## Sd-Card

## Material & Protection

## Price Pars

## Price Hika

## Price Fara

2MP   Ultra Series	4MP   Ultra Series AcuSense			2MP   Ultra Series
				
DS-2CD3725G0-IZSUHK	DS-2CD3743G2-IZS			DS-2CD5126G0-IZSUHK
1/2.8" Progressive Scan CMOS	1/3" Progressive Scan CMOS			1/1.8" Progressive Scan CMOS
(1920 * 1080) 50 fps	(2688 * 1520) 25 fps			(1920 * 1080) 50 fps
0.0068 Lux @ (F1.4, AGC ON)	0.005 Lux @ (F1.6, AGC ON)			0.002 Lux @ (F1.2, AGC ON)
2.7 to 13.5 mm <b>Motorized</b>	2.7 to 13.5 mm <b>Motorized</b>			2.7 to 13.5 mm <b>Motorized</b>
Support	Support			Support
Up to 50m IR ( <b>DarkFighter</b> )	Up to 40m IR			Up to 50m IR
<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+			<b>WDR</b> , BLC, 3D-DNR, H.265+
Up to 128Gb	Up to 512Gb			Up to 256Gb
Metal ( IP67 & IK10 )	Metal & plastic ( IP67 & IK10 )			Metal ( IK10 )
CALL	CALL			CALL
25.308.000	28.380.000			37.917.000
CALL	CALL			CALL

Description	2MP   <u>Pro Series</u>	3MP   <u>Pro Series</u>	4MP   <u>Pro Series</u>		
					
Model	DS-2DE4A225IW-DE	DS-2DE4A320IW-DE	DS-2DE2A404IW-DE3		
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(2048 * 1536) 25 fps	(2560 * 1440) 25 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.05 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.5, AGC ON)		
Lens Type	4.8 to 120 mm	4.7 mm to 94 mm	2.8 mm to 12 mm		
Zoom	25X Optical zoom - 16X Digital Zoom	20X Optical zoom - 16X Digital Zoom	4X Optical zoom - 16X Digital Zoom		
IR Range	Up to 50m IR ( <b>DarkFighter</b> )	Up to 50m IR	Up to 20m IR ( <b>DarkFighter</b> )		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , HLC, 3D-DNR, H.265+	<b>WDR</b> , HLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 128Gb	Up to 256Gb		
Material & Protection	( IP66 )	( IP66 )	( IP66 & IK10 )		
Price Pars	CALL	CALL	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

Description	2MP   <u>Pro Series</u>	2MP   <u>Pro Series</u>	4MP   <u>Pro Series</u>	2MP   <u>ProSeries TandemVu</u>	4MP   <u>ProSeries TandemVu</u>
					
Model	DS-2DE4225IW-DE(S6)	DS-2DE4225IW-DE(T5)	DS-2DE4425IW-DE(T5)	DS-2SE4C225MWG-E12	DS-2SE4C425MWG-E14
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.6, AGC ON)
Lens Type	4.8 to 120 mm	4.8 to 120 mm	4.8 to 120 mm	4.8 to 120 mm	4.8 to 120 mm
Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom	25X Optical zoom - 16X Digital Zoom
IR Range	Up to 100m IR ( <b>DarkFighter</b> )	Up to 100m IR ( <b>DarkFighter</b> )	Up to 100m IR ( <b>DarkFighter</b> )	Up to 100m IR ( <b>DarkFighter</b> )	Up to 100m IR ( <b>DarkFighter</b> )
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	ADC12 (IP66)	ADC12 (IP66)	ADC12 (IP66)	ADC12 ( IP66 )	ADC12 ( IP66 )
Price Pars	CALL	29.804.000	33.871.000	39.548.000	47.388.000
Price Hika	CALL	33.413.000	37.700.000	CALL	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL

Description	2MP   Economy Series	2MP   Pro Series	4MP   Pro Series	4MP   Pro Series	2MP   Pro Series
					
Model	DS-2DE5220IW-AE	DS-2DE5232IW-AE	DS-2DE5432IW-AE	DS-2DE5425IW-AE	DS-2DF6A236X-AEL
Image Sensor	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS
Resolution	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps	(2560 * 1440) 25 fps	(1920 * 1080) 50 fps
Min. Illumination	0.02 Lux @ (F1.5, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.6, AGC ON)	0.002 Lux @ (F1.5, AGC ON)
Lens Type	4.7 to 94.0 mm	4.8 to 153 mm	4.8 mm to 153 mm	4.8 mm to 120 mm	5.7 mm to 205.2 mm
Zoom	20X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	25X Optical zoom – 16X Digital Zoom	36X Optical zoom – 16X Digital Zoom
IR Range	Up to 150m IR	Up to 150m IR	Up to 150m IR <b>(DarkFighter)</b>	Up to 150m IR <b>(DarkFighter)</b>	Up to 200m IR <b>(DarkFighter)</b>
Features	DWDR, BLC, 3D-DNR, H.265+	DWDR, BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+
Sd-Card	Up to 128Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb	Up to 256Gb
Material & Protection	( IP66 )	ADC12, PC, PC+10%GF( IP66)	ADC 12, PC+10% GF ( IP66 )	Metal ( IP66 )	Aluminum( IP67 , IK10 )
Price Pars	CALL	CALL	CALL	CALL	CALL
Price Hika	CALL	76.602.000	CALL	69.005.000	CALL
Price Fara	CALL	CALL	CALL	CALL	CALL



Description	2MP   <u>Pro Series</u>	4MP   <u>Pro Series</u>	2MP   <u>Pro Series</u>		
					
Model	<u>DS-2DE7A232IW-AEB</u>	<u>DS-2DE7A432IW-AEB</u>	<u>DS-2DF8236I5W-AELW</u>		
Image Sensor	1/2.8" Progressive Scan CMOS	1/1.8" Progressive Scan CMOS	1/1.9" Progressive Scan CMOS		
Resolution	(1920 * 1080) 25 fps	(2560 * 1440) 25 fps	(1920 * 1080) 25 fps		
Min. Illumination	0.005 Lux @ (F1.6, AGC ON)	0.005 Lux @ (F1.5, AGC ON)	0.002 Lux @ (F1.5, AGC ON)		
Lens Type	4.8 mm to 153 mm	5.9 mm to 188.8 mm	5.7 mm to 205 mm		
Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom	32X Optical zoom – 16X Digital Zoom		
IR Range	Up to 200m IR ( <b>DarkFighter</b> )	Up to 200m IR ( <b>DarkFighter</b> )	Up to 500m IR		
Features	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+	<b>WDR</b> , BLC, 3D-DNR, H.265+		
Sd-Card	Up to 256Gb	Up to 256Gb	Up to 128Gb		
Material & Protection	ADC12 ( IP66 , IK10 )	ADC12 ( IP66 , IK10 )	( IP66 , IK10 )		
Price Pars	53.442.000	61.900.000	CALL		
Price Hika	CALL	CALL	CALL		
Price Fara	CALL	CALL	CALL		

## Description



## Model

## NVR

Channel Number

Decoding Capacity

In / Out bandwidth

HDMI/VGA Output

Image Sensor

Resolution

Min. Illumination

IR Range

Material & Protection

## CAMERA

Price Pars


Price Hika

Price Fara

2MP | Wi Fi KIT



4MP | Wi Fi KIT



NK42W0H-1T(WD)

NK44W0H-1T(WD)

4-ch Wi-Fi

4-ch Wi-Fi

4-ch@1080p (25 fps) , **H265**

4-ch@4 MP (12 fps), **H265**

50 Mbps / 40 Mbps

50 Mbps / 40 Mbps

1-ch , resolution : 1920 × 1080

1-ch , resolution : 1920 × 1080

Support

Support

Up to 50m IR (**DarkFighter**)

Up to 40m IR

**WDR**, BLC, 3D-DNR, H.265+

**WDR**, BLC, 3D-DNR, H.265+

Up to 128Gb

Up to 512Gb

Metal ( IP67 & IK10 )

Metal & plastic ( IP67 & IK10 )

CALL

CALL

CALL

53.364.000

CALL

CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

4CH   Value Series	4CH   Value Series	4CH   Value Series PoE	4CH   Value Series	4CH   Value Series PoE
				
<u>DS-7104NI-Q1</u>	<u>DS-7104NI-Q1/M</u>	<u>DS-7104NI-Q1/4P/M</u>	<u>DS-7604NI-Q1</u>	<u>DS-7604NI-Q1/4P</u>
4 Ch	4 Ch	4 Ch / 4 POE	4 Ch	4 Ch / 4 POE
40 Mbps	40 Mbps	40 Mbps	40 Mbps	40 Mbps
60 Mbps	60 Mbps	60 Mbps	80 Mbps	80 Mbps
1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@4 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	1 HDD up to 8TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	8.592.000	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

4CH   Value Series	4CH   Value Series PoE			
				
<u>DS-7604NI-K1</u>	<u>DS-7604NI-K1/4P</u>			
4 Ch	4 Ch / 4 POE			
40 Mbps	40 Mbps			
80 Mbps	80 Mbps			
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)			
1 Port HDMI : 4K	1 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
1 HDD up to 8TB	1 HDD up to 8TB			
1 RJ45 10/100M	1 RJ45 10/100M			
7.140.000	CALL			
8.900.000	CALL			
CALL	CALL			



## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

8CH   Value Series	8CH   Value Series PoE	8CH   Pro Series	8CH   Pro Series	8CH   Pro Series PoE
				
<u>DS-7108NI-Q1/M</u>	<u>DS-7108NI-Q1/8P/M</u>	<u>DS-7608NI-Q1</u>	<u>DS-7608NI-Q2</u>	<u>DS-7608NI-Q2/8P</u>
8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch / 8 POE
60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
60 Mbps	60 Mbps	80 Mbps	80 Mbps	80 Mbps
1-ch@6 MP (30 fps)	1-ch@6 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 6TB	1 HDD up to 6TB	1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	11.308.000	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

8CH   Pro Series	8CH   Pro Series PoE	8CH   Pro Series	8CH   Pro Series	8CH   Pro Series
				
<u>DS-7608NI-K1</u>	<u>DS-7608NI-K1/8P</u>	<u>DS-7608NI-K2</u>	<u>DS-7608NXI-K1</u>	<u>DS-7608NXI-K2</u>
8 Ch	8 Ch / 8 POE	8 Ch	8 Ch	8 Ch
80 Mbps	80 Mbps	80 Mbps	80 Mbps	80 Mbps
80 Mbps	80 Mbps	160 Mbps	80 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	2-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
CALL	CALL	CALL	CALL	11.595.000
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

8CH   Pro Series AcuSense	8CH   Pro Series AcuSense			
				
<u>DS-7608NXI-I2/S</u>	<u>DS-7608NXI-I2/8P/S</u>			
8 Ch	8 Ch / 8 POE			
80 Mbps	80 Mbps			
256 Mbps	256 Mbps			
1-ch@32 MP (30 fps)	16-ch@1080P (30 fps)			
1 Port HDMI : 4K	1 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
2 HDD up to 14TB	2 HDD up to 8TB			
2 RJ45 10/100/1000M	1 RJ45 10/100/1000M			
CALL	CALL			
31.718.000	43.125.000			
CALL	CALL			

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH   Pro Series	16CH   Pro Series	16CH   Pro Series PoE	16CH   Pro Series	16CH   Pro Series
				
<u>DS-7616NI-Q1</u>	<u>DS-7616NI-Q2</u>	<u>DS-7616NI-Q2/16P</u>	<u>DS-7616NI-K1</u>	<u>DS-7616NI-K2</u>
16 Ch	16 Ch	16 Ch / 16 POE	16 Ch	16 Ch
160 Mbps	160 Mbps	160 Mbps	160 Mbps	160 Mbps
80 Mbps	80 Mbps	80 Mbps	80 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
1 HDD up to 8TB	2 HDD up to 8TB	2 HDD up to 8TB	1 HDD up to 8TB	2 HDD up to 10TB
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
CALL	10.681.000	CALL	CALL	CALL
CALL	CALL	CALL	13.110.000	CALL
CALL	CALL	CALL	CALL	CALL



## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH   Pro Series PoE	16CH   Pro Series AcuSense	16CH   Pro Series AcuSense	16CH   Pro Series AcuSense	16CH   Pro Series AcuSense
				
<u>DS-7616NI-K2/16P</u>	DS-7616NXI-K1	<u>DS-7616NXI-K2</u>	<u>DS-7616NXI-K2/16P</u>	<u>DS-7616NXI-I2/S</u>
16 Ch / 16 POE	16 Ch	16 Ch	16 Ch	16 Ch
160 Mbps	160 Mbps	160 Mbps	160 Mbps	160 Mbps
160 Mbps	80 Mbps	160 Mbps	160 Mbps	256 Mbps
1-ch@12 MP (30 fps)	1-ch@4K (30 fps)	1-ch@12 MP (30 fps)	2-ch@12 MP (30 fps)	2-ch@32 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
2 HDD up to 10TB	1 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 10TB	2 HDD up to 14TB
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	13.022.000	25.283.000	CALL
26.565.000	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH   Pro Series	32CH   Pro Series AcuSense			
				
<u>DS-7632NI-K2</u>	<u>DS-7632NXI-K2</u>			
32 Ch	32 Ch			
256 Mbps	256 Mbps			
160 Mbps	160 Mbps			
1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)			
1 Port HDMI : 4K	1 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
2 HDD up to 10TB	2 HDD up to 10TB			
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M			
CALL	CALL			
CALL	25.965.000			
CALL	CALL			

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH   Pro Series	16CH   Pro Series PoE	16CH   Pro Series	16CH   Pro Series PoE	16CH   Pro Series
				
<u>DS-7716NI-Q4</u>	<u>DS-7716NI-Q4/16P</u>	<u>DS-7716NI-K4</u>	<u>DS-7716NI-K4/16P</u>	<u>DS-7716NXI-K4</u>
16 Ch	16 Ch / 16 POE	16 Ch	16 Ch / 16 POE	16 Ch
160 Mbps	160 Mbps	200 Mbps	160 Mbps	160 Mbps
80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
CALL	CALL	CALL	CALL	25.977.000
CALL	CALL	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH   Pro Series	32CH   Pro Series PoE	32CH   Pro Series	32CH   Pro Series PoE	32CH   Pro Series
<u>DS-7732NI-Q4</u>	<u>DS-7732NI-Q4/16P</u>	<u>DS-7732NI-K4</u>	<u>DS-7732NI-K4/16P</u>	<u>DS-7732NXI-K4</u>
32 Ch	32 Ch / 16 POE	32 Ch	32 Ch / 16 POE	32 Ch
160 Mbps	160 Mbps	256 Mbps	256 Mbps	256 Mbps
80 Mbps	80 Mbps	160 Mbps	160 Mbps	160 Mbps
1-ch@8 MP (30 fps)	1-ch@8 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)	1-ch@12 MP (30 fps)
1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K	1 Port HDMI : 4K
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080
4 HDD up to 8TB	4 HDD up to 8TB	4 HDD up to 10TB	4 HDD up to 10TB	4 HDD up to 10TB
2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	CALL	38.809.000	28.562.000
CALL	CALL	CALL	CALL	37.804.000
CALL	CALL	CALL	CALL	CALL



## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH   DeepinMind Series	32CH   ProSeries AcuSense			
				
<u>iDS-7732NXI-I4/8S</u>	<u>DS-7732NXI-I4/S</u>			
32 Ch	32 Ch			
320 Mbps	256 Mbps			
256 Mbps	256 Mbps			
1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)			
2 Port HDMI : 4K	2 Port HDMI : 4K			
1 Port VGA : 1920 * 1080	1 Port VGA : 1920 * 1080			
4 HDD up to 10TB	4 HDD up to 10TB			
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M			
CALL	CALL			
CALL	58.261.000			
CALL	CALL			

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

16CH   Ultra Series	32CH   Ultra Series	64CH   Ultra Series		
				
<u>DS-8616NI-K8</u>	<u>DS-8632NI-K8</u>	<u>DS-8664NI-I8</u>		
16 Ch	32 Ch	64 Ch		
160 Mbps	256 Mbps	320 Mbps		
160 Mbps	160 Mbps	256 Mbps		
2-ch@8 MP (25 fps)	2-ch@8 MP (25 fps)	1-ch@32 MP (30 fps)		
2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K		
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080		
8 HDD up to 8TB	8 HDD up to 8TB	8 HDD up to 10TB		
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M		
CALL	CALL	CALL		
CALL	CALL	CALL		
CALL	CALL	CALL		

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH   Ultra Series	32CH   Ultra Series	32CH   DeepinMind Series	32CH   Ultra Series AcuSense	32CH   DeepinMind Series
				
<u>DS-9632NI-I8</u>	<u>DS-9632NI-I16</u>	<u>iDS-9632NXI-I8/4F</u>	<u>DS-9632NXI-I8/S</u>	<u>DS-9632NI-M8</u>
32 Ch	32 Ch	32 Ch	32 Ch	32 Ch
320 Mbps	320 Mbps	256 Mbps	320 Mbps	320 Mbps
256 Mbps	256 Mbps	200 Mbps	256 Mbps	400 Mbps
1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)
2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 4K	2 Port HDMI : 8K
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 2560 * 1440	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080
8 HDD up to 10TB	16 HDD up to 10TB	8 HDD up to 12TB	8 HDD up to 10TB	8 HDD up to 16TB
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	CALL	CALL	80.000.000	90.687.000
118.013.000	CALL	CALL	108.900.000	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output


SATA interface

Network interface

Price Pars

Price Hika

Price Fara

32CH   DeepinMind Series				
				
<u>DS-9632NI-M16</u>				
32 Ch				
320 Mbps				
400 Mbps				
2-ch@32 MP (30 fps)				
2 Port HDMI : 8K				
2 Port VGA : 1920 * 1080				
16 HDD up to 16TB				
2 RJ45 10/100/1000M				
122.886.000				
150.799.000				
CALL				



## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

64CH   Ultra Series	64CH   Ultra Series AcuSense	64CH   Ultra Series AcuSense	64CH   Ultra Series AcuSense	64CH   Ultra Series
				
<u>DS-9664NI-I8</u>	<u>DS-9664NI-M8</u>	<u>DS-9664NI-M16</u>	<u>DS-9664NXI-I8/S</u>	<u>DS-9664NI-I16</u>
64 Ch	64 Ch	64 Ch	64 Ch	64 Ch
320 Mbps	400 Mbps	400 Mbps	384 Mbps	320 Mbps
256 Mbps	400 Mbps	400 Mbps	256 Mbps	256 Mbps
1-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)	2-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)	1-ch@32 MP (30 fps)
2 Port HDMI : 4K	2 Port HDMI : 8K	2 Port HDMI : 8K	2 Port HDMI : 4K	2 Port HDMI : 4K
2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080	2 Port VGA : 1920 * 1080
8 HDD up to 10TB	8 HDD up to 16TB	16 HDD up to 16TB	8 HDD up to 14TB	16 HDD up to 10TB
2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M	2 RJ45 10/100/1000M
CALL	125.880.000	195.135.000	CALL	CALL
153.915.000	135.394.000	CALL	CALL	CALL
CALL	CALL	CALL	CALL	CALL

## Description



## Model

Channel Number

Input bandWidth

Output bandWidth

Decoding Capacity

HDMI Output

VGA Output

SATA interface

Network interface

Price Pars

Price Hika

Price Fara

128CH | Ultra Series



DS-96128NI-I16

128 Ch

576 Mbps

512 Mbps

1-ch@32 MP (30 fps)

2 Port HDMI : 4K

1 Port VGA : 1920 \* 1080

16 HDD up to 10TB

4 RJ45 10/100/1000M

CALL

CALL

CALL