



لیست قیمت

آبان ماه

D A L I A S M A R T



Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Value Series	2MP Value Series	2MP Value Series	2MP Value Series	2MP Value Series
				
<u>DS-2CE16D0T-ITPF</u>	<u>DS-2CE16D0T-ITPFS</u>	<u>DS-2CE16D0T-ITF</u>	<u>DS-2CE16D0T-ITFS</u>	<u>DS-2CE16D0T-EXIF</u>
2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
Up to 25m IR	Up to 25m IR	Up to 30m IR	Up to 30m IR	Up to 20m IR
DWDR, BLC, HLC	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, BLC, 2D-DNR
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.02 Lux @ (F1.2, AGC ON)
No	Built-in	No	Built-in	No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
NO	NO	NO	NO	NO
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8mm / 3.6mm
Plastic IP67	Plastic IP67	Metal IP67	Metal IP67	Metal IP66
1.102.000	CALL	1.497.000	1.858.000	1.152.000
1.425.000	1.894.000	CALL	2.333.000	CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Value Series	2MP Value Series	2MP Value Series		
				
<u>DS-2CE16D0T-EXIPF</u>	<u>DS-2CE16D0T-LPFS</u>	<u>DS-2CE16D0T-VFIR3F</u>		
2 MP CMOS	2 MP CMOS	2 MP CMOS		
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps		
Up to 20m IR	Up to 25m IR	Up to 40m IR		
DWDR, BLC, 2D-DNR	DWDR, HLC, BLC	DWDR		
0.02 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.6, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
No	Built-in	No		
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		
NO	NO	NO		
Fix Lens – 2.8mm / 3.6mm	Fix Lens – 2.8mm / 3.6mm	vari-focal lens - 2.8 - 12 mm		
Plastic IP66	Plastic IP67	IP66		
1.294.000	CALL	CALL		
CALL	2.869.000	CALL		

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Value Series	2MP Value Series	2MP Value Series		
				
DS-2CE17D0T-IT1F	DS-2CE17D0T-IT3F	DS-2CE17D0T-IT5F		
2 MP CMOS	2 MP CMOS	2 MP CMOS		
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps		
Up to 30m IR	Up to 40m IR	Up to 80m IR		
DWDR, HLC, BLC	DWDR, HLC, BLC	DWDR, HLC, BLC, 2D DNR		
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
No	No	No		
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		
NO	NO	NO		
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6 / 8mm	Fix Lens – 3.6 / 6 / 8 / 12mm		
Metal & Plastic IP67	Metal & Plastic IP67	Metal & Plastic IP67		
1.903.000	2.442.000	CALL		
CALL	2.950.000	CALL		

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Value Series	2MP Value Series	2MP Value Series	2MP Value Series	2MP Value Series
				
<u>DS-2CE76D0T-ITPF</u>	<u>DS-2CE76D0T-ITPFS</u>	<u>DS-2CE76D0T-ITMF</u>	<u>DS-2CE76D0T-ITMFS</u>	<u>DS-2CE76D0T-LPFS</u>
2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25fps
Up to 20m IR	Up to 20m IR	Up to 30m IR	Up to 30m IR	Up to 20m IR
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
No	Built-in	No	Built-in	Built-in
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
NO	NO	NO	NO	NO
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm
Plastic IP66	Plastic IP67	Metal IP67	Metal IP67	Plastic IP67
1.302.000	1.602.000	1.734.000	1.984.000	CALL
1.562.000	1.884.000	CALL	CALL	2.400.000

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Value Series	2MP Value Series	2MP Value Series	2MP Value Series	
				
<u>DS-2CE76D0T-EXIPE</u>	<u>DS-2CE78D0T-ITFS</u>	<u>DS-2CE78D0T-IT3FS</u>	<u>DS-2CE56D0T-VFIR3F</u>	
2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS	
(1920 * 1080) 25fps	—	(1920 * 1080) 25fps	(1920 * 1080) 25fps	
Up to 20m IR	—	Up to 40m IR	Up to 40m IR	
DWDR, BLC, 2D-DNR	DWDR, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR	
0.02 Lux @ (F1.2, AGC ON)	—	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	
No	Built-in	Built-in	No	
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	
NO	—	NO	NO	
Fix Lens – 2.8mm / 3.6mm	—	Fix Lens – 2.8 / 3.6 / 6mm	vari-focal lens - 2.8 - 12 mm	
Plastic IP66	—	Metal & Plastic IP67	IP66	
1.415.000	CALL	2.514.000	3.399.000	
CALL	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series
				
<u>DS-2CE10DF0T-F</u>	<u>DS-2CE10DF0T-FS</u>	<u>DS-2CE10DF0T-PFS</u>	<u>DS-2CE10DF3T-PF</u>	<u>DS-2CE10DF3T-PFS</u>
2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS
(1920 * 1080) 25fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)
DWDR, HLC, BLC, 3D-DNR	DWDR, HLC, BLC, 3D-DNR	DWDR, HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR
0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)
No	Built-in	Built-in	No	Built-in
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
NO	NO	NO	NO	NO
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 mm	Fix Lens – 2.8mm / 3.6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8mm / 3.6mm
Metal IP67	Metal & Plastic IP67	Plastic IP67	Plastic IP67	Plastic IP67
3.388.000	CALL	CALL	CALL	CALL
CALL	3.855.000	3.709.000	CALL	CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	
				
<u>DS-2CE10DF3T-F</u>	<u>DS-2CE10DF3T-FS</u>	<u>DS-2CE12DF3T-F</u>	<u>DS-2CE12DF3T-FS</u>	
2 MP CMOS	2 MP CMOS	2 MP CMOS	2 MP CMOS	
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25fps	
Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 40m IR (Color Vu)	Up to 40m IR (Color Vu)	
WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	
0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	
No	Built-in	No	Built-in	
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	
NO	NO	NO	NO	
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8mm / 3.6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	
Metal IP67	Metal IP67	Metal IP67	Metal IP67	
CALL	3.593.000	3.529.000	4.042.000	
3.074.000	4.304.000	CALL	CALL	

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series	2MP ColorVu Series
				
<u>DS-2CE70DF0T-PF</u>	<u>DS-2CE70DF3T-PF</u>	<u>DS-2CE70DF3T-PFS</u>	<u>DS-2CE72DFT-FC</u>	<u>DS-2CE72DF3T-F</u>
2 MP CMOS	2 MP CMOS	2 MP CMOS	—	2 MP CMOS
(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps	—	(1920 * 1080) 25fps
Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	—	Up to 40m IR (Color Vu)
DWDR, HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	—	WDR , HLC, BLC, 3D-DNR
0.001 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)	—	0.0005 Lux @ (F1.0, AGC ON)
No	No	Built-in	—	No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	—	HDTVI/AHD/CVI/CVBS
NO	NO	NO	—	NO
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8mm / 3.6mm	—	Fix Lens – 2.8 / 3.6 / 6mm
Plastic IP67	Plastic IP66	Plastic IP66	—	Metal & Plastic IP67
CALL	CALL	CALL	CALL	2.680.000
2.967.000	3.406.000	4.070.000	CALL	CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series	2MP Economy Series
				
<u>DS-2CE16D3T-ITF</u>	<u>DS-2CE16D3T-IT3F</u>	<u>DS-2CE16D8T-IT3E</u>	<u>DS-2CE76D3T-ITPF</u>	<u>DS-2CE76D3T-ITMF</u>
2 MP CMOS	2 MP CMOS	—	2 MP CMOS	2 MP CMOS
(1920 * 1080) 25fps	(1920 * 1080) 25 fps	—	(1920 * 1080) 25 fps	(1920 * 1080) 25 fps
Up to 30m IR	Up to 50m IR	—	Up to 30m IR	Up to 30m IR
WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR	—	WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR
0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)	—	0.005 Lux @ (F1.2, AGC ON)	0.005 Lux @ (F1.2, AGC ON)
No	No	—	No	No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	—	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
YES	YES	—	YES	YES
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6 / 8 / 12mm	—	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm
Metal IP67	Metal & plastic IP67	—	plastic IP66	Metal IP67
CALL	2.345.000	CALL	1.837.000	2.514.000
CALL	2.918.000	CALL	CALL	CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series	5MP Value Series	5MP Value Series
				
<u>DS-2CE16H0T-ITF</u>	<u>DS-2CE16H0T-ITFS</u>	<u>DS-2CE16H0T-ITPF</u>	<u>DS-2CE16H0T-ITPFS</u>	<u>DS-2CE16H0T-IT1F</u>
5 MP CMOS	5 MP CMOS	5 MP CMOS	5 MP CMOS	5 MP CMOS
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps
Up to 30m IR	Up to 30m IR	Up to 25m IR	Up to 25m IR	Up to 20m IR
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, BLC, 2D-DNR
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
No	Built-in	No	Built-in	No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
NO	NO	NO	NO	YES
Fix Lens – 2.4 / 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.4 / 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm
Metal IP67	Metal IP67	Plastic IP67	Plastic IP67	Metal & Plastic IP67
CALL	CALL	CALL	2.259.000	CALL
CALL	CALL	CALL	2.713.000	CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series		
				
<u>DS-2CE16H0T-IT3F</u>	<u>DS-2CE16H0T-IT5F</u>	<u>DS-2CE16H0T-IT3ZF</u>		
5 MP CMOS	5 MP CMOS	5 MP CMOS		
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps		
Up to 40m IR	Up to 80m IR	Up to 40m IR		
DWDR, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, BLC, 2D-DNR		
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
No	No	No		
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		
YES	NO	YES		
Fix Lens – 2.8 / 3.6 / 6 / 8 / 12mm	Fix Lens – 3.6 / 6 / 8 / 12mm	Motorized - 2.7 to 13.5 mm		
Metal & Plastic IP67	Metal & Plastic IP67	Metal & Plastic IP67		
CALL	CALL	CALL		
CALL	CALL	CALL		

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series	5MP Value Series	
				
<u>DS-2CE17H0T-IT1F</u>	<u>DS-2CE17H0T-IT3F</u>	<u>DS-2CE17H0T-IT3FS</u>	<u>DS-2CE17H0T-IT5F</u>	
5 MP CMOS	5 MP CMOS	5 MP CMOS	5 MP CMOS	
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	
Up to 30m IR	Up to 40m IR	Up to 40m IR	Up to 80m IR	
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	
No	No	Built-in	No	
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	
NO	NO	NO	NO	
Fix Lens – 2.4 / 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6 / 8 / 12mm	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 3.6 / 6 / 8 / 12mm	
Metal & Plastic IP67	Metal & Plastic IP67	Metal & Plastic IP67	Metal & Plastic IP67	
CALL	2.541.000	3.141.000	CALL	
2.918.000	CALL	CALL	CALL	

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System




OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series	5MP Value Series	5MP Value Series
				
DS-2CE56H0T-ITMF	DS-2CE56H0T-IT1F	DS-2CE56H0T-IT3F	DS-2CE56H0T-IT3ZF	DS-2CE76H0T-ITMF
–	5 MP CMOS	5 MP CMOS	5 MP CMOS	5 MP CMOS
–	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps
–	Up to 20m IR	Up to 40m IR	Up to 40m IR	Up to 30m IR
–	DWDR, BLC, 2D-DNR	DWDR, BLC, 2D-DNR	DWDR, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR
–	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)
–	No	No	No	No
–	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS
–	YES	YES	YES	NO
–	Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6 / 8 / 12mm	Motorized - 2.7 to 13.5 mm	Fix Lens – 2.4 / 2.8 / 3.6 / 6mm
–	Metal & Plastic IP67	Metal & Plastic IP67	Metal IP67	Metal IP67
CALL	CALL	CALL	CALL	2.260.000
CALL	CALL	CALL	CALL	2.684.000

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series		
				
DS-2CE76H0T-ITMFS	DS-2CE76H0T-ITPF	DS-2CE76H0T-ITPFS		
5 MP CMOS	5 MP CMOS	5 MP CMOS		
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps		
Up to 30m IR	Up to 20m IR	Up to 20m IR		
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR		
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)		
Built-in	No	Built-in		
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		
NO	NO	NO		
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.4 / 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm		
Metal IP67	Plastic IP67	Plastic IP67		
2.568.000	1.880.000	CALL		
CALL	CALL	2.586.000		

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Value Series	5MP Value Series	5MP Value Series		5MP Value Series
				
<u>DS-2CE78H0T-IT1F</u>	<u>DS-2CE78H0T-IT3F</u>	<u>DS-2CE78H0T-IT3FS</u>		<u>DS-2CE79H0T-IT3ZF</u>
5 MP CMOS	5 MP CMOS	5 MP CMOS		5 MP CMOS
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps	(2560 * 1944) 20 fps		(2560 * 1944) 20 fps
Up to 30m IR	Up to 40m IR	Up to 40m IR		Up to 40m IR
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC,		DWDR, HLC, BLC, 2D-DNR
0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F1.2, AGC ON)	0.01 Lux @ (F2.0, AGC ON)		0.01 Lux @ (F1.6, AGC ON)
No	No	Built-in		No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		HDTVI/AHD/CVI/CVBS
NO	NO	NO		NO
Fix Lens – 2.4 / 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6 / 8 / 12mm	Fix Lens – 2.8 / 3.6 / 6 mm		Motorized - 2.7 to 13.5 mm
Metal & Plastic IP67	Metal & Plastic IP67	Metal & Plastic IP67		Metal & Plastic IP67
2.516.000	2.682.000	CALL		4.828.000
3.016.000	CALL	CALL		CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

5MP Economy Series	5MP Economy Series			5MP Economy Series
				
<u>DS-2CE10HFT-F</u>	<u>DS-2CE12HFT-F</u>			<u>DS-2CE72HFT-F</u>
5 MP CMOS	5 MP CMOS			5 MP CMOS
(2560 * 1944) 20 fps	(2560 * 1944) 20 fps			(2560 * 1944) 20 fps
Up to 20m IR (Color Vu)	Up to 40m IR (Color Vu)			Up to 20m IR (Color Vu)
WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR			WDR , HLC, BLC, 3D-DNR
0.0005 Lux @ (F1.0, AGC ON)	0.0005 Lux @ (F1.0, AGC ON)			0.0005 Lux @ (F1.0, AGC ON)
No	No			No
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS			HDTVI/AHD/CVI/CVBS
NO	NO			NO
Fix Lens – 3.6mm / 6mm	Fix Lens – 3.6mm / 6mm			Fix Lens – 3.6mm / 6mm
Metal IP67	Metal IP67			Metal & Plastic IP67
CALL	CALL			4.235.000
CALL	CALL			CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System





OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

6MP Economy Series	6MP Economy Series	6MP Economy Series		6MP Economy Series
				
<u>DS-2CE10KF0T-FS</u>	<u>DS-2CE10KF0T-PFS</u>	<u>DS-2CE12KF0T-FS</u>		<u>DS-2CE72KF0T-FS</u>
3K MP CMOS	6 MP CMOS	6 MP CMOS		6 MP CMOS
(2960 * 1665) 20 fps	(2960 * 1665) 20 fps	(2960 * 1665) 20 fps		(2960 * 1665) 20 fps
Up to 20m IR (Color Vu)	Up to 20m IR (Color Vu)	Up to 40m IR (Color Vu)		Up to 40m IR (Color Vu)
DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR	DWDR, HLC, BLC, 2D-DNR		DWDR, HLC, BLC, 2D-DNR
0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)	0.001 Lux @ (F1.0, AGC ON)		0.001 Lux @ (F1.0, AGC ON)
Built-in	Built-in	Built-in		Built-in
HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS	HDTVI/AHD/CVI/CVBS		HDTVI/AHD/CVI/CVBS
NO	NO	NO		NO
Fix Lens – 2.8mm / 3.6 mm	Fix Lens – 2.8mm / 3.6mm	Fix Lens – 2.8 / 3.6 / 6mm		Fix Lens – 2.8mm / 3.6mm
Metal IP67	Plastic IP67	Metal IP67		Metal & Plastic IP67
CALL	CALL	CALL		3.944.000
CALL	4.187.000	CALL		CALL

Description



Model

Image Sensor

Resolution

IR Range

Features

Min. Illumination

Microphone Support

Signal System

OSD Menu

Lens Type

Material & Protection

Price Pars

Price Hika

8MP Economy Series	8MP Economy Series			
				
<u>DS-2CE18U8T-IT3</u>	<u>DS-2CE78U8T-IT3</u>			
8.29 MP CMOS	8.29 MP CMOS			
(3840 * 2160) 12.5 fps	(3840 * 2160) 12.5 fps			
Up to 60m IR	Up to 60m IR			
WDR , HLC, BLC, 3D-DNR	WDR , HLC, BLC, 3D-DNR			
0.003 Lux @ (F1.2, AGC ON)	0.003 Lux @ (F1.2, AGC ON)			
No	No			
HDTVI/CVBS	HDTVI/CVBS			
NO	NO			
Fix Lens – 2.8 / 3.6 / 6mm	Fix Lens – 2.8 / 3.6 / 6mm			
Metal IP67	Metal & Plastic IP67			
CALL	7.216.000			
CALL	CALL			

Description	8CH Pro Series	8CH Pro Series	8CH Value Series	16CH Value Series	
					
Model	DS-7208HGHI-F1	DS-7208HGHI-F2	DS-7208HGHI-K1	DS-7216HGHI-K1	
DVR Type	8+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	
Analog Video Input	8 CH UP to 2MP	8 CH UP to 2MP	8 CH UP to 2MP	16 CH UP to 2MP	
IP Video Input	2 CH UP to 2MP	2 CH UP to 2MP	2 CH UP to 5MP	2 CH UP to 5MP	
SATA interface	1 HDD upto 6 TB	2 HDD upto 6 TB	1 HDD upto 4 TB	1 HDD upto 10 TB	
Microphone Support	1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	
Network interface	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M	
HDMI Output	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	
VGA Output	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	
Frame Rat	1080p lite @25fps / 720p @25fps	1080p lite @25fps / 720p @25fps	1080p Lite 15FPS	1080p Lite 15FPS	
Price Pars	CALL	CALL	CALL	5.491.000	
Price Hika	CALL	CALL	CALL	7.729.000	

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

4CH Pro Series	4CH AcuSense Series			
				
<u>DS-7204HQHI-K1</u>	<u>iDS-7204HQHI-M1/S</u>			
4+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	4+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP			
4 CH UP to 4MP	4 CH UP to 6MP			
2 CH UP to 6MP	2 CH UP to 6MP			
1 HDD upto 10 TB	1 HDD upto 10 TB			
1ch in - 1ch Out	1ch in - 1ch Out			
1 RJ45 10/100M	1 RJ45 10/100M			
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD			
1 Port VGA : 1920*1080	1 Port VGA : 1920*1080			
4MP lite@15fps /1080P @25FPS	3K lite@12fps / 4MP lite@15fps			
CALL	4.933.000			
CALL	5.904.000			

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

8CH Pro Series	8CH AcuSense Series	8CH AcuSense Series		
				
<u>DS-7208HQHI-K1</u>	<u>IDS-7208HQHI-M1/S</u>	<u>IDS-7208HQHI-M2/S</u>		
8+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP		
8 CH UP to 4MP	8 CH UP to 6MP	8 CH UP to 6MP		
4 CH UP to 6MP	4 CH UP to 6MP	4 CH UP to 6MP		
1 HDD upto 10 TB	1 HDD upto 10 TB	2 HDD upto 10 TB		
1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out		
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M		
1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD		
1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080		
4MP lite@15fps / 1080p @25fps	3K lite@12fps / 4MP lite@15fps	3K lite@12fps / 4MP lite@15fps		
CALL	7.305.000	CALL		
CALL	9.633.000	11.564.000		

Description	16CH Pro Series	16CH Pro Series	16CH Pro Series	16CH AcuSense Series	16CH AcuSense Series
					
Model	<u>DS-7116HQHI-K1</u>	<u>DS-7216HQHI-K1</u>	<u>DS-7216HQHI-K2</u>	<u>IDS-7216HQHI-M1/S</u>	<u>IDS-7216HQHI-M2/S</u>
DVR Type	16+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP
Analog Video Input	16 CH UP to 6MP	16 CH UP to 4MP	16 CH UP to 6MP	16 CH UP to 6MP	16 CH UP to 6MP
IP Video Input	8 CH UP to 6MP	8 CH UP to 6MP	8 CH UP to 6MP	8 CH UP to 6MP	8 CH UP to 6MP
SATA interface	1 HDD upto 10 TB	1 HDD upto 10 TB	2 HDD upto 10 TB	1 HDD upto 10 TB	2 HDD upto 10 TB
Microphone Support	1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out
Network interface	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M
HDMI Output	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : FULL HD	1 Port HDMI : 4K	1 Port HDMI : 4K
VGA Output	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080
Frame Rat	4MP lite@15 fps / 1080p@15 fps	4MP lite@15fps / 1080p 30fps	4MP lite@15fps / 1080p 30fps	3K lite@12fps / 4 MP lite@15fps	3K lite@12fps / 4 MP lite@15fps
Price Pars	CALL	CALL	CALL	12.183.000	16.282.000
Price Hika	CALL	CALL	CALL	15.701.000	19.488.000

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

32CH Pro Series	32CH AcuSense Series	32CH Ultra Series		
				
<u>DS-7232HQHI-K2</u>	<u>IDS-7232HQHI-M2/S</u>	<u>DS-7332HQHI-K4</u>		
32+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	32+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	32+16 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP		
32 CH UP to 4MP	32 CH UP to 6MP	32 CH UP to 4MP		
8 CH UP to 6MP	8 CH UP to 6MP	16 CH UP to 6MP		
2 HDD upto 10 TB	2 HDD upto 10 TB	4 HDD upto 10 TB		
1ch in - 1ch Out	1ch in - 1ch Out	4ch in - 1ch Out		
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M		
1 Port HDMI : FULL HD	1 Port HDMI : 4k	2 Port HDMI : 4k		
1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080		
4MP lite@15fps / 1080p @25fps	4MP lite@15 fps / 1080p@15 fps	4MP lite@15fps / 1080p @25fps		
CALL	25.408.000	CALL		
CALL	35.627.000	CALL		

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

4CH Pro Series	4CH Pro Series	4CH AcuSense Series		
				
<u>DS-7204HUHI-K1</u>	<u>DS-7204HUHI-K1/P</u>	<u>IDS-7204HUHI-M1/S</u>		
4+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	4+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	4+4 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP		
4 CH UP to 8MP	4 CH UP to 8MP	4 CH UP to 8MP		
4 CH UP to 8MP	4 CH UP to 8MP	4 CH UP to 8MP		
1 HDD upto 10 TB	1 HDD upto 10 TB	1 HDD upto 10 TB		
4ch in - 1ch Out	4ch in - 1ch Out	1ch in - 1ch Out		
1 RJ45 10/100M	1 RJ45 10/100M	1 RJ45 10/100M		
1 Port HDMI : FULL HD	1 Port HDMI : 1920*1080	1 Port HDMI : 2k		
1 Port VGA : 1920*1080	1 Port VGA : 2560 * 1440	1 Port VGA : 1920*1080		
8 MP@8 fps / 5 MP@12 fps	8 MP@8fps / 5 MP@12fps	8 MP@8 fps / 3K@12 fps		
7.141.000	7.115.000	7.298.000		
8.656.000	CALL	9.427.000		

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

8CH Pro Series	8CH Pro Series	8CH AcuSense Series	8CH AcuSense Series	
				
<u>DS-7208HUHI-K1</u>	<u>DS-7208HUHI-K2/P</u>	<u>IDS-7208HUHI-M1/S</u>	<u>IDS-7208HUHI-M2/S</u>	
8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	
8 CH UP to 8MP	8 CH UP to 8MP	8 CH UP to 8MP	8 CH UP to 8MP	
8 CH UP to 8MP	8 CH UP to 8MP	8 CH UP to 8MP	8 CH UP to 8MP	
1 HDD upto 10 TB	2 HDD upto 10 TB	1 HDD upto 10 TB	2 HDD upto 10 TB	
4ch in - 1ch Out	4ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	
1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	
1 Port HDMI : 4k	1 Port HDMI : 4k	1 Port HDMI : 4k	1 Port HDMI : 4k	
1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	
8 MP@8 fps / 5 MP@12 fps	8 MP@8fps / 5 MP@12fps	8 MP@8 fps / 3K@12 fps	8 MP@8 fps / 3K@12 fps	
CALL	CALL	13.142.000	CALL	
CALL	CALL	15.828.000	18.599.000	

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

	16CH Pro Series	16CH AcuSense Series	16CH Ultra Series		
					
	<u>DS-7216HUHI-K2</u>	<u>IDS-7216HUHI-M2/S</u>	<u>DS-7316HUHI-F4-N</u>		
	16+16 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+16 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	16+2 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP		
	16 CH UP to 8MP	16 CH UP to 8MP	16 CH UP to 3MP		
	16 CH UP to 8MP	16 CH UP to 8MP	2 CH UP to 8MP		
	2 HDD upto 10 TB	2 HDD upto 10 TB	4 HDD upto 6 TB		
	4ch in - 1ch Out	1ch in - 1ch Out	4ch in - 2ch Out		
	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	2 RJ45 10/100/1000M		
	1 Port HDMI : 4k	1 Port HDMI : 4k	2 Port HDMI : 4k		
	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080		
	8 MP@8 fps / 5MP@12 fps	8 MP@8 fps / 6MP@12 fps	3MP@15 fps / 1080p @15 fps		
	23.066.000	24.411.000	CALL		
	CALL	CALL	CALL		

Description



Model

DVR Type

Analog Video Input

IP Video Input

SATA interface

Microphone Support

Network interface

HDMI Output

VGA Output

Frame Rat

Price Pars

Price Hika

	4CH Pro Series	8CH Pro Series	4CH Pro Series	8CH Pro Series	
					
	<u>DS-7204HTHI-K1</u>	<u>DS-7208HTHI-K2</u>	<u>iDS-7204HTHI-M1/S</u>	<u>iDS-7208HTHI-M2/S</u>	
	4+4Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	4+4Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	8+8 Ch . Hybrid quintet HD-TVI/AHD/CVI/ANALOG/IP	
	4 CH UP to 8MP	8 CH UP to 8MP	4 CH UP to 8MP	8 CH UP to 8MP	
	4 CH UP to 8MP	8 CH UP to 8MP	4 CH UP to 8MP	8 CH UP to 8MP	
	1 HDD upto 10 TB	2 HDD upto 10 TB	1 HDD upto 10 TB	2 HDD upto 10 TB	
	4ch in - 1ch Out	4ch in - 1ch Out	1ch in - 1ch Out	1ch in - 1ch Out	
	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	1 RJ45 10/100/1000M	
	1 Port HDMI : 4k	1 Port HDMI : 4k	1 Port HDMI : 4k	1 Port HDMI : 4k	
	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	1 Port VGA : 1920*1080	
	8MP@15 fps / 5MP@20fps	8MP@15 fps / 5MP@20fps	8MP@15 fps / 5MP@20fps	8MP@15 fps / 6MP@20fps	
	CALL	CALL	CALL	18.896.000	
	CALL	CALL	CALL	CALL	